

Daystate 



THE FINEST AIR RIFLES



www.daystate.com

WELCOME TO DAYSTATE

A very warm welcome to Daystate's 2018 airgun catalogue - a mouthwatering line-up of precharged pneumatic (PCP) air rifles and accessories. This year's model range delivers a mix of revamped and totally new rifles, including the exciting Red Wolf. Furthermore, we have partnered with renowned regulator manufacturer, Huma, to offer many of our models with an air-regulated action.

As pioneers of the modern-day PCP, Daystate has always been at the forefront of airgun technology, pushing boundaries when other airgunmakers were happy enough to simply operate inside existing ones. Today, over five decades since the company's inception, we continue to lead and innovate in the design and production of high-performance air rifles.

The international status we have secured as a global leader in the field of PCP airgun production is synonymous with our British engineering roots, and every Daystate leaving the factory is firmly underpinned by this famous heritage.

From groundbreaking, computer-controlled tech to a totally new concept in mechanically-driven actions, Daystate continues in its ongoing quest to drive air rifle performance to new heights. With each rifle hand-built by master craftsmen to deliver all the power, consistency and accuracy, our rifles allow you to enjoy your sport - be that hunting or target shooting - at the next level.

Welcome to a new Daystate era - where our original thinking helps keep you ahead of the game.



THE DAYSTATE COLLECTION

| | |
|------------------------|----|
| RED WOLF - SERIE ROSSO | 6 |
| RED WOLF | 8 |
| WOLVERINE 2 | 10 |
| WOLVERINE R | 12 |
| HUNTSMAN REGAL | 14 |
| PULSAR | 16 |
| RENEGADE | 18 |
| GRIFFIN | 20 |
| TSAR | 22 |
| PELLETS & ACCESSORIES | 24 |

Daystate is the pioneer of the modern precharged pneumatic design (PCP), with a reputation for being the world leader in airgun innovation



TECHNOLOGY

As maker of the finest airguns in the world, Daystate's mantra is to constantly push technological boundaries. The current rifle range boasts the most innovative and sophisticated airgun systems in the world.

MCT & GCU SYSTEMS

Our electronically-driven models feature Mapped Compensated Technology (MCT). A digital microprocessor and solenoid-powered air valve monitor and control every microsecond of the firing cycle to ensure unrivalled shot-to-shot consistency, increased shots-per-charge and reduced action movement. All the attributes which, ultimately, translate into improved accuracy at the target.

The Gun Control Unit (GCU) within our electronic models incorporates new safety features and advanced battery management that further secures them as the class-leading air rifles they already are.

HARPER PATENT SLINGSHOT

Daystate's mechanically-driven models feature Harper's patented Slingshot hammer and valve set-up. This dramatically improves the rifles' air efficiency by eliminating piston 'bounce' - a phenomenon conventional PCPs can suffer from that wastes air long after the pellet has been accelerated up the bore. Increased air efficiency translates to a greater shot-count, flatter power curve, faster firing cycle and quieter muzzle report.

HOW SLINGSHOT WORKS



A 'slingshot' hammer is contained in a cage, with the whole assembly being accelerated forward upon trigger release. The cage is brought to a sudden halt, but the hammer within carries on under inertia, striking the valve and releasing a pulse of high pressure air to drive the pellet from the breech. Assisted by air pressure and a return spring, the valve is immediately closed, pushing back against the hammer. At this point, the Slingshot's anti-bounce spring stops the hammer from re-opening the valve and wasting air.

HTU

The Hybrid Trigger Unit (HTU) incorporated into the Renegade models is groundbreaking technology that sets a new benchmark in trigger release for bullpup air rifles, hitherto a weak link in such configurations which feature forward-placed trigger blades. Powered by a 9v battery, a solenoid instantaneously releases conventional sears placed well behind the blade. In effect, the fly-by-wire HTU blends the advantages of an electronic trigger with the full range of adjustability, crispness and feel of a mechanical one.

HUMA REGULATOR

The HR Huntsman Regal, Wolverine R and Renegade HR model variants now come as standard with a regulated action, where air output is precisely metered on each shot. Developed in partnership with the internationally renowned Dutch regulator specialist, Huma, this measured air control maximises shot-to-shot consistency as the rifle cycles through its usable air charge. Not only is accuracy improved, but a greater number of shots are returned per fill-up - a big advantage on the Hi-Power models.





www.daystate.com

THE DAYSTATE
RED WOLF - SERIE ROSSO

LIMITED EDITION

Even more visually stunning than the standard model, Red Wolf launches the 2018 Daystate line-up in Serie Rosso format - a special edition for connoisseurs that's limited to just 200 rifles worldwide.

Boasting elegant engraving on its breech block, each rifle is individually numbered and comes complete with its own Certificate of Authenticity, along with a hard case - and to match its carbon-fibre bottle is a carbon-fibre shroud. Adding yet more prestige is an ambidextrous sporter stock of predominantly rosso-red tones that contrast beautifully with the grey laminates between. The Serie Rosso comes in .177 and .22, as well as higher-powered FAC versions in .22 and .25.



| Hi-Lite | |
|------------------|-----------------------------|
| Overall length | 39ins |
| Barrel length | 17ins |
| Weight unscoped | 7.5lbs |
| Magazine | 10 Shot |
| Shots per charge | *Up to 475 Shots @ 12ft/lbs |
| Calibre | .177, .22 and .25 |

*Shot count will vary depending on fill pressure, pellet weight and factory-set power level. See page 27.



THE DAYSTATE
RED WOLF

A NEW BREED IS BORN

The all-new Red Wolf holds the mantel for the most advanced PCP sporter in the world - and for good reason. A breath-taking picture of elegance on the outside, secreted within its sidelever-operated, computerised action lies the very latest electronic MCT technology developed from the Pulsar program. It comes in both standard and HP (high power) models, the latter including a .303 calibre version for big-bore fans.

Digitally regulated for a super-consistent, high shot-count, and sporting a trigger that incorporates adjustability of both release and finger placement, the Red Wolf delivers match-like accuracy at the very extremes of airgun ranges. Its masterfully sculpted stock sandwiches soft red undertones between its black laminates, although a walnut version is also available for traditionalists. However it's dressed though, its ambidextrous design caters for a perfect gunfit courtesy of a butt pad and raised cheekpiece, both fully adjustable.

Aiding the Red Wolf's user-friendly handling is a lightweight carbon-fibre bottle (though a steel option is available), above which sits the barrel in a carbon-fibre, full shroud that helps mute the muzzle report in the field. And, of course, the Red Wolf's new sidelever design marries effortless cocking with speedy loading courtesy of Daystate's latest generation, auto-indexing magazine.

In looks, handling and performance, the new Red Wolf is pure airgun artistry.



39ins (991mm)

B Type

| | |
|------------------|-----------------------------|
| Overall length | 39ins |
| Barrel length | 17ins |
| Weight unscoped | 7.5lbs |
| Magazine | 10 Shot |
| Shots per charge | *Up to 510 Shots @ 12ft/lbs |
| Calibre | .177, .22 and .25 |

Hi-Lite

| | |
|------------------|-----------------------------|
| Overall length | 39ins |
| Barrel length | 17ins |
| Weight unscoped | 7.5lbs |
| Magazine | 10 Shot |
| Shots per charge | *Up to 475 Shots @ 12ft/lbs |
| Calibre | .177, .22 and .25 |

HP

| | |
|------------------|----------------------------|
| Overall length | 45ins |
| Barrel length | 23ins |
| Weight unscoped | 8.6lbs |
| Magazine | 10 Shot (5 Shot .303) |
| Shots per charge | *Up to 45 Shots @ 65ft/lbs |
| Calibre | .22, .25 and .303 |

*Shot count will vary depending on fill pressure, pellet weight and factory-set power level. See page 27.



THE DAYSTATE
WOLVERINE 2

A MARQUE OF VERSATILITY

Revamped, last year, to Mark 2 status to reflect the many subtle improvements this rifle has evolved since its 2013 launch, Wolverine 2 still retains the multiple choice of formats which give this bolt-action PCP such wide appeal.

The C Type utilises a 300cc under-barrel air tube, while the 400 or 500cc buddy-bottle B Type model offers a higher shot-count per fill. For the weight conscious, there's the Hi-Lite model, fitted with a 480cc carbon-fibre buddy-bottle. And the Hi-Power (HP) models - available in .22, .25 and .303 calibres - provide those shooters after maximum power with muzzle energy capabilities of 60, 70 and 100ft/lbs respectively.

The Wolverine 2 is available with an ambidextrous thumbhole stock in walnut, which now incorporates a butt pad offering adjustability for both height and cast. The C Type woodwork blends in an extended forend made from ballistic polymer, which incorporates a Picatinny accessory rail for fitting components such as a bipod, flashlight or laser.

A marvel of mechanical PCP design, the Wolverine 2's many guises make it as versatile as it is impressive.



38ins (965mm)

| C Type | |
|------------------|-----------------------------|
| Overall length | 38ins |
| Barrel length | 17ins |
| Weight unscoped | 7.3lbs |
| Magazine | 10 Shot |
| Shots per charge | *Up to 140 Shots @ 12ft/lbs |
| Calibre | .177, .22 and .25 |

| Hi-Lite | |
|------------------|-----------------------------|
| Overall length | 38ins |
| Barrel length | 17ins |
| Weight unscoped | 7.3lbs |
| Magazine | 10 Shot |
| Shots per charge | *Up to 230 Shots @ 12ft/lbs |
| Calibre | .177, .22 and .25 |

| B Type | |
|------------------|-----------------------------|
| Overall length | 38ins |
| Barrel length | 17ins |
| Weight unscoped | 7.3lbs |
| Magazine | 10 Shot |
| Shots per charge | *Up to 250 Shots @ 12ft/lbs |
| Calibre | .177, .22 and .25 |

| HP | |
|------------------|----------------------------|
| Overall length | 44ins |
| Barrel length | 23ins |
| Weight unscoped | 8.4lbs |
| Magazine | 10 Shot (5 Shot .303) |
| Shots per charge | *Up to 29 Shots @ 60ft/lbs |
| Calibre | .22, .25 and .303 |

*Shot count will vary depending on fill pressure, pellet weight and factory-set power level. See page 27.



THE DAYSTATE
WOLVERINE R

EVOLUTION OF THE SPECIES

The Wolverine lineage has now been extended to include an air-regulated action and sidelever cocking.

Offering all the time-proven attributes of the Wolverine 2 and now including the availability of a grey laminate or walnut thumbhole stock, the new R model swaps a cocking bolt for the in-vogue sidelever cocking system, increasing yet further the appeal of this very versatile PCP. Additionally, the sidelever can be switched from right-side operation to left, further building upon the woodwork's ambidextrous design.

And, of course, that R suffix denotes this rifle's *piece-de-resistance* - its regulator. Developed especially for Daystate in partnership with the internationally renowned Dutch regulator specialist, Huma, the measured air control that it brings to the R's action brings a host of benefits. Not only does it maximise shot-to-shot consistency as the rifle cycles through its usable air charge, but downrange accuracy is also improved. Furthermore, a greater number of shots are returned per fill-up - a big advantage on the higher-powered and HP models, which can return up to 200 per cent more shots than the standard Wolverine 2 courtesy of the Huma's highly efficient use of air.

If the Wolverine 2 is a marvel of mechanical PCP technology, then the Wolverine R has to be the pinnacle.



B Type

| | |
|------------------|-----------------------------|
| Overall length | 38ins |
| Barrel length | 17ins |
| Weight unscoped | 7.4lbs |
| Magazine | 10 Shot |
| Shots per charge | *Up to 600 Shots @ 12ft/lbs |
| Calibre | .177, .22 and .25 |

C Type

| | |
|------------------|-----------------------------|
| Overall length | 38ins |
| Barrel length | 17ins |
| Weight unscoped | 7.2lbs |
| Magazine | 10 Shot |
| Shots per charge | *Up to 250 Shots @ 12ft/lbs |
| Calibre | .177, .22 and .25 |

Hi-Lite

| | |
|------------------|-----------------------------|
| Overall length | 38ins |
| Barrel length | 17ins |
| Weight unscoped | 7.4lbs |
| Magazine | 10 Shot |
| Shots per charge | *Up to 500 Shots @ 12ft/lbs |
| Calibre | .177, .22 and .25 |

HP

| | |
|------------------|----------------------------|
| Overall length | 44ins |
| Barrel length | 23ins |
| Weight unscoped | 8.5lbs |
| Magazine | 10 Shot (5 Shot .303) |
| Shots per charge | *Up to 75 Shots @ 45ft/lbs |
| Calibre | .22, .25 and .303 |

*Shot count will vary depending on fill pressure, pellet weight and factory-set power level. See page 27.



THE DAYSTATE
HUNTSMAN REGAL & HR REGAL

TRADITIONAL, CLASSIC ELEGANCE

The latest succession to the Huntsman's famous lineage, the Regal combines all the elements of a classic, English sporting air rifle. Beautifully-shaped walnut woodwork cradles a solidly-engineered - though remarkably lightweight - mechanical powerplant, providing a unique marriage of wood and metal courtesy of an action that sits lower in the stock to perfectly mimic the feel and handling of a traditional hunting rifle.

The contemporary Huntsman maintains all the features airgunners have come to expect from a PCP bearing the famous Daystate marque, from its shrouded match-grade barrel, through its snap-fit filling system and integral pressure gauge, to its solid breech block that accepts Daystate's proven 10-shot rotary magazine. The mag can be replaced with the supplied single-shot tray for direct-to-barrel loading if preferred, too.

Courtesy of its Harper patent Slingshot hammer and valve system, the Huntsman is capable of performance levels hitherto unachievable in a mechanically-driven PCP, and higher power versions in the Regal line produce muzzle energies up to 30 ft/lbs, or 40 ft/lbs on the extended-cylinder XL model.

Indeed, it makes the perfect chassis for the latest variant - the HR Huntsman Regal. Incorporating an air regulator designed in collaboration with Dutch pneumatic specialist Huma, the HR model improves the Regal's already consistent velocity, and extends its shots-per-charge count up to 68%.

The Regal – proclaiming its rightful accession to bear the Huntsman's famous crown.



36.5ins (927mm)

| Regal | |
|------------------|----------------------------|
| Overall length | 36.5ins |
| Barrel length | 17ins |
| Weight unscoped | 6lbs |
| Magazine | 10 Shot |
| Shots per charge | *Up to 95 Shots @ 12ft/lbs |
| Calibre | .177, .22 and .25 |

| HR Regal | |
|------------------|-----------------------------|
| Overall length | 36.5ins |
| Barrel length | 17ins |
| Weight unscoped | 6.1lbs |
| Magazine | 10 Shot |
| Shots per charge | *Up to 160 Shots @ 12ft/lbs |
| Calibre | .177, .22 and .25 |

| Regal XL | |
|------------------|----------------------------|
| Overall length | 36.5ins |
| Barrel length | 17ins |
| Weight unscoped | 6.2lbs |
| Magazine | 10 Shot |
| Shots per charge | *Up to 40 Shots @ 30ft/lbs |
| Calibre | .177, .22 and .25 |

*Shot count will vary depending on fill pressure, pellet weight and factory-set power level. See page 27.



THE DAYSTATE
PULSAR

LIGHT YEARS AHEAD

With unique ergonomics and an action that's computer controlled via a sophisticated motherboard and software, the Pulsar builds on Daystate's years of electronically-powered airgun success to represent a revolutionary step in PCP design.

A pinnacle of modern airgun engineering, it features Daystate's patented Mapped Compensated Technology (MCT) - essentially a digital regulator to control the rifle's power - combined with an all-new electronics package developed especially for the Pulsar. This utilises a revised version of the Harper Patent valve system for increased efficiency and high shot capacity from its large, 300cc steel air cylinder - and also enables the Pulsar to be offered in high-powered HP format with a longer cylinder and barrel.

Feature rich, the Pulsar pairs its ultra-quiet action with Daystate's best-ever sound-moderating barrel shroud to give it a near-silent performance in the field - though for the ultimate stealth, its threaded muzzle adapter will also accept the Daystate Airstream VI carbon-fibre silencer. Fully ambidextrous, the Pulsar is available in synthetic or laminate stock guises, each complemented by a ballistic nylon forend that sports a Picatinny rail for fitting accessories like a bi-pod, flashlight or sling.

A 10-shot, auto-loading rotary magazine, reversible solid alloy sidelever, integral laser sight, LCD display information and unprecedented array of new safety systems finish off this highly-advanced PCP bullpup.



30ins (762mm)

| | |
|------------------|-----------------------------|
| Overall length | 30ins |
| Barrel length | 17ins |
| Weight unscoped | 7.5-8.3lbs |
| Magazine | 10 Shot |
| Shots per charge | *Up to 250 Shots @ 12ft/lbs |
| Calibre | .177, .22 and .25 |

| | |
|------------------|----------------------------|
| HP | |
| Overall length | 35ins |
| Barrel length | 23ins |
| Weight unscoped | 8.3lbs |
| Magazine | 10 Shot (5 Shot .303) |
| Shots per charge | *Up to 55 Shots @ 50ft/lbs |
| Calibre | .22, .25 and .303 |

*Shot count will vary depending on fill pressure, pellet weight and factory-set power level. See page 27.



THE DAYSTATE
RENEGADE & RENEGADE HR

A UNIQUE KIND OF BULLPUP

Combining an advanced mechanical action with the ground-breaking mechanical/electronic HTU trigger release, the Renegade offers a bullpup configuration for those who don't aspire to the all-electronic action of the flagship Pulsar. Yet nonetheless, the Renegade is still a highly-advanced 'shorty' in its own right – especially with the introduction of a new Huma-regulated HR version for those after the ultimate in air efficiency as well as handling.

Building on the standard Renegade's Slingshot air release, the Renegade HR's controlled air metering flattens out the power curve, so the velocity of the last shot in the rifle's charge will be the same as the first... as will every single one between! And, of course, the improved accuracy and greater shot-count synonymous with regged PCPs are also benefits offered in the newly-released HR variant.

Both models come dressed in an ergonomic, ambidextrous stock featuring fully-adjustable butt pad, drop-down pistol grip and forend accessory rail, while the Renegade's sidelever-cocked action runs Daystate's tried-and-tested 10-shot, auto-loading magazine - but a single-shot loading tray can be fitted for manual pellet feed if preferred.

A fully-shrouded barrel with threaded muzzle, in-guard safety catch and reach-forward intermount with anti-cant bubble complete what's been heralded as a unique kind of high-performance precharged pneumatic.



| | |
|-------------------------|-----------------------------|
| Overall length | 30ins |
| Barrel length | 17ins |
| Weight unscoped | 7.5-8.3lbs |
| Magazine | 10 Shot |
| Shots per charge | *Up to 220 Shots @ 12ft/lbs |
| Calibre | .177, .22 and .25 |

| | |
|-------------------------|----------------------------|
| HP | |
| Overall length | 35ins |
| Barrel length | 23ins |
| Weight unscoped | 8.3lbs |
| Magazine | 10 Shot (5 Shot .303) |
| Shots per charge | *Up to 35 Shots @ 60ft/lbs |
| Calibre | .22, .25 and .303 |

| | |
|-------------------------|-----------------------------|
| HR | |
| Overall length | 30ins |
| Barrel length | 17ins |
| Weight unscoped | 7.6-8.4lbs |
| Magazine | 10 Shot |
| Shots per charge | *Up to 310 Shots @ 12ft/lbs |
| Calibre | .177, .22 and .25 |

| | |
|-------------------------|----------------------------|
| HP HR | |
| Overall length | 35ins |
| Barrel length | 23ins |
| Weight unscoped | 8.4lbs |
| Magazine | 10 Shot (5 Shot .303) |
| Shots per charge | *Up to 45 Shots @ 60ft/lbs |
| Calibre | .22, .25 and .303 |

*Shot count will vary depending on fill pressure, pellet weight and factory-set power level. See page 27.



RENEGADE

DAYSTATE ENGLAND

Daystate

MTC
optics

THE DAYSTATE GRIFFIN

WHERE FIELD MEETS TARGET

From its target woodwork - custom-designed by renowned stockist, Gary Cane - to its elegant, silver-anodised action, the Daystate Griffin builds on the Huntsman's time-proven chassis to deliver a multi-task PCP for those who prefer to take a single gun into the field and onto the target range.

The Griffin can be tailored for a perfect gunfit, regardless of shooter shape or shooting stance, courtesy of its fully-adjustable stock and all-new, user-friendly adjustable trigger. This level of refinement enables the most fastidious of Hunter Field Target shooters to take on the toughest competition courses, safe in the knowledge that the Griffin's high-performing action has all the accuracy and consistency required of a full-blown target rifle. This match-like accuracy will translate to the field, when forays against small pests and vermin are called for, perhaps having swapped the supplied single-shot tray for the 10-shot, auto-loading magazine.

For the stealthiest of hunting assignments, an integral silencer - one that's been especially developed and manufactured by Huggett Precision Products - comes as standard on the Griffin, reducing its muzzle report to nothing more than a whisper.



42ins (1067mm)

| | |
|------------------|-----------------------------|
| Overall length | 42ins |
| Barrel length | 17ins |
| Weight unscoped | 9.47lbs |
| Magazine | 10 Shot |
| Shots per charge | *Up to 130 Shots @ 12ft/lbs |
| Calibre | .177 and .22 |



*Shot count will vary depending on fill pressure, pellet weight and factory-set power level. See page 27.



GRIFFIN
Daystate

THE DAYSTATE
TSAR

DESIGNED WITH A SINGLE AIM – TO WIN

Perhaps the ultimate in Field Target hardware, the newly-released Daystate Tsar is a match-ready, full-on FT rifle developed in collaboration with top Russian match-shooting partners, Ataman/Demyan.

It continues Daystate's rich legacy of match-winning FT models for shooters who compete at the highest national and international level of airgunning's most challenging outdoor target shooting discipline. Uncompromising in every area of its highly-sophisticated action, the Tsar includes features like a five-level adjustable, multi-sear trigger system that's controlled by a multi-adjustable blade, and a high-precision, match-grade stainless steel Lothar Walther barrel. Its sidelever cocking system also allows for dry-firing practice, where trigger technique can be honed without actually discharging a shot.


Designed to maximise shooter control, the stock that cradles the Tsar's action is every bit as state-of-the-art. Constructed in laminate to eliminate any stresses imparted between wood and metalwork during the rifle's charge cycle, its target-oriented design is crafted with both form and function in mind. Boasting an array of multi-adjustable features to achieve a tailor-made gunfit - such as an anatomical grip/palm rest, cheekpiece and butt pad - every conceivable benefit is brought to the shooter who may face sitting, prone, kneeling and standing shots in the challenge of competition.

Designed and built without compromise, the Tsar is an unashamed trophy-winning machine.



39ins (991mm)

| | |
|------------------|-----------------------------|
| Overall length | 39ins |
| Barrel length | 20.5ins |
| Weight unscoped | 9.9lbs |
| Magazine | Single-Shot |
| Shots per charge | *Up to 140 Shots @ 12ft/lbs |
| Calibre | .177 |



*Shot count will vary depending on fill pressure, pellet weight and factory-set power level. See page 27.



RANGEMASTER PELLETS

The most advanced air rifles in the world are only as accurate as the pellets fed into them. To complement its state-of-the-art hardware, Daystate has developed a range of ammunition to suit every power level and shooting scenario.

Kaiser

H&N made (German) target & hunting pellet. Waisted diabolo.

.177 - 8.64 grains (up to 18 ft/lbs)
.20 - 11.42 grains (up to 25 ft/lbs)
.22 - 14.66 grains (up to 25 ft/lbs)

Sovereign

JSB made (Czech) target & hunting pellet. Waisted diabolo.

.177 - 8.44 grains (up to 12 ft/lbs)
.20 - 13.73 grains (up to 25 ft/lbs)
.22 - 15.9 grains (up to 30 ft/lbs)

Monster


JSB made (Czech) hunting pellet. Long semi-waisted domehead for high-power models.

.22 - 25.4 grains (up to 60 ft/lbs)
.25 - 25.4 grains (up to 60 ft/lbs)

Emperor

JSB made (Czech) hunting pellet. Semi-waisted roundhead developed exclusively for the big-bore models.

.303 - 50.15 grains



HILL PUMP

For manually charging your Daystate PCP with compressed air, Hill's latest generation pump comes with a Dry-Pac to reduce moisture intake and requires less effort to operate. Field serviceable, it comes with the standard 1/8in BSP connector and limited lifetime warranty.



AIRSTREAM VI SILENCERS

Daystate's Airstream VI Reflex is a groundbreaking, reflex-type sound suppressor incorporating a one-piece baffle for perfect alignment and noise dissipation. It fits Daystate's current line-up of PCPs - including the higher powered models - using the 1/2in UNF threaded muzzle adaptor integral to every Daystate, where the Airstream's sunken thread makes it half the length of comparable silencers. Adding just three inches beyond the muzzle, its strong and lightweight carbon-fibre casing ensures the rifle's balance is unaffected.

A universal version of the Airstream is also available to fit the Huntsman Regal XL, as well as older Daystate models, and many other rifles where fitting a reflex silencer isn't possible.

THE DAYSTATE T2 300BAR COMPRESSOR

Ideal for gun shops, shooting clubs or the PCP airgunner who wants his independence, Daystate's latest Type 2 electric air compressor takes the effort out of charging up a precharged pneumatic rifle or scuba tank.

A sophisticated, superior air filtration system delivers breathing quality air courtesy of a very quiet charging operation. The T2 fills a 10-litre 300BAR scuba tank from empty in just 20 minutes - but it will top it up from 150BAR in less than 10!

Portable, self-contained and robust, it's fitted with a large, easy-to-read pressure gauge that can be specifically set to automatically cut the charging process off when the required pressure has been reached. The new Type 2 also features a run-time counter to assist with servicing schedules.



| | |
|---------------|----------------|
| Power | 3HP (2.2kW) |
| Voltage | 230v/16a |
| Delivery rate | 80 litres/hour |
| Noise | 91db |
| Weight | 94.8lbs |
| Dimensions | 27x15x19ins |

TACTICAL BIPOD

Designed to fit directly to the Picatinny forend rail of the Pulsar, Renegade and Wolverine C Type, or to other rifles via a standard eyelet stud using the supplied adaptor, this bipod provides a stable platform via independently-extendable legs (up to 7ins). It's also spring-loaded to quickly fold back on the rifle's forend when not deployed.



SLING SWIVELS

Designed to allow the attachment of a sling to the Picatinny forend of the Pulsar, Renegade and Wolverine C Type models. Also supplied with eyelet stud for rifle's butt.



HARD CASE

A quality injection-moulded black case with four securing clips, quality egg-box foam lining and the Daystate logo.



GUN CARE

The best rifles demand the best care - so Daystate recommends its hardware be kept in prime condition courtesy of this range of high-performance gun maintenance products from Ballistol UK.



Universal Oil
50ml bottle

Universal Oil
aerosol



Vaseline Gun Grease
50ml tub

Pluvonin Waterproofing
Spray – 200ml aerosol



Universal Oil Care Cloth
Pack of 10

CLOTHING & ACCESSORIES

A range of Daystate-branded clothing and other products allows shooters to proudly show off their allegiance to the world's finest airgun marque.



Cool-Dry polo

Softshell jacket

Earthenware mug

Pen and gift box

Mosquito and
insect repellent

Baseball cap

CALIBRES & POWER

| Description | Calibre | Barrel | Max Power ft/lbs | Max Shot Count | Source | Vol. | Reg. |
|----------------------|--------------|--------------|------------------|----------------|---------|-------|------|
| Hunstman Regal | .177 (4.5mm) | 17" (43.1cm) | 12 (16J) | 70 | Cylind. | 132cc | No |
| | .22 (5.5mm) | 17" (43.1cm) | 12 (16J) | 85 | Cylind. | 132cc | No |
| | .25 (6.35mm) | 17" (43.1cm) | 12 (16J) | 95 | Cylind. | 132cc | No |
| Huntsman Regal XL | .177 (4.5mm) | 17" (43.1cm) | 18 (24J) | 50 | Cylind. | 162cc | No |
| | .22 (5.5mm) | 17" (43.1cm) | 30 (41J) | 35 | Cylind. | 162cc | No |
| | .22 (5.5mm) | 17" (43.1cm) | 40 (54J) | 15 | Cylind. | 162cc | No |
| | .25 (6.35mm) | 17" (43.1cm) | 30 (41J) | 45 | Cylind. | 162cc | No |
| HR Hunstman Regal | .177 (4.5mm) | 17" (43.1cm) | 12 (16J) | 140 | Cylind. | 132cc | Yes |
| | .22 (5.5mm) | 17" (43.1cm) | 12 (16J) | 160 | Cylind. | 132cc | Yes |
| HR Huntsman Regal XL | .177 (4.5mm) | 17" (43.1cm) | 18 (24J) | 60 | Cylind. | 162cc | Yes |
| | .22 (5.5mm) | 17" (43.1cm) | 30 (41J) | 40 | Cylind. | 162cc | Yes |
| | .22 (5.5mm) | 17" (43.1cm) | 40 (54J) | 15 | Cylind. | 162cc | Yes |
| | .25 (6.35mm) | 17" (43.1cm) | 40 (54J) | 20 | Cylind. | 162cc | Yes |

| Description | Calibre | Barrel | Max Power ft/lbs | Max Shot Count | Source | Vol. | Reg. |
|----------------|---------------|--------------|------------------|----------------|---------|-------|------|
| Wolverine 2 | .177 (4.5mm) | 17" (43.1cm) | 12 (16J) | 120 | Cylind. | 200cc | No |
| | .22 (5.5mm) | 17" (43.1cm) | 12 (16J) | 140 | Cylind. | 200cc | No |
| | .177 (4.5mm) | 17" (43.1cm) | 12 (16J) | 180 | Bottle | 400cc | No |
| | .22 (5.5mm) | 17" (43.1cm) | 12 (16J) | 200 | Bottle | 400cc | No |
| | .177 (4.5mm) | 17" (43.1cm) | 12 (16J) | 220 | Bottle | 500cc | No |
| | .22 (5.5mm) | 17" (43.1cm) | 12 (16J) | 250 | Bottle | 500cc | No |
| | .25 (6.35mm) | 17" (43.1cm) | 30 (41J) | 110 | Bottle | 500cc | No |
| | .177 (4.5mm) | 17" (43.1cm) | 12 (16J) | 200 | HiLite | 480cc | No |
| | .177 (4.5mm) | 17" (43.1cm) | 18 (24J) | 100 | HiLite | 480cc | No |
| | .22 (5.5mm) | 17" (43.1cm) | 12 (16J) | 230 | HiLite | 480cc | No |
| Wolverine 2 HP | .22 (5.5mm) | 17" (43.1cm) | 30 (41J) | 90 | HiLite | 480cc | No |
| | .25 (6.35mm) | 17" (43.1cm) | 30 (41J) | 100 | HiLite | 480cc | No |
| | .22 (5.5mm) | 23" (58.4cm) | 60 (81J) | 29 | Bottle | 500cc | No |
| | .25 (6.35mm) | 23" (58.4cm) | 70 (95J) | 28 | Bottle | 500cc | No |
| | .22 (5.5mm) | 23" (58.4cm) | 60 (81J) | 26 | HiLite | 480cc | No |
| Wolverine 2 HP | .25 (6.35mm) | 23" (58.4cm) | 70 (95J) | 25 | HiLite | 480cc | No |
| | .303 (7.62mm) | 23" (58.4cm) | 100 (135J) | 18 | HiLite | 480cc | No |

| Description | Calibre | Barrel | Max Power ft/lbs | Max Shot Count | Source | Vol. | Reg. |
|-------------|--------------|--------------|------------------|----------------|---------|-------|------|
| Tsar | .177 (4.5mm) | 20.5" (52cm) | 12 (16J) | 140 | Cylind. | 250cc | Yes |
| | .177 (4.5mm) | 20.5" (52cm) | 18 (24J) | 60 | Cylind. | 250cc | Yes |

| Description | Calibre | Barrel | Max Power ft/lbs | Max Shot Count | Source | Vol. | Reg. |
|---------------|----------------|--------------|------------------|----------------|---------|--------|-------|
| Wolverine R | .177 (4.5mm) | 17" (43.1cm) | 12 (16J) | 200 | Cylind. | 200cc | Yes |
| | .22 (5.5mm) | 17" (43.1cm) | 12 (16J) | 250 | Cylind. | 200cc | Yes |
| | .177 (4.5mm) | 17" (43.1cm) | 12 (16J) | 300 | Bottle | 400cc | Yes |
| | .22 (5.5mm) | 17" (43.1cm) | 12 (16J) | 350 | Bottle | 400cc | Yes |
| | .177 (4.5mm) | 17" (43.1cm) | 12 (16J) | 500 | Bottle | 500cc | Yes |
| | .177 (4.5mm) | 17" (43.1cm) | 18 (24J) | 180 | Bottle | 500cc | Yes |
| | .22 (5.5mm) | 17" (43.1cm) | 12 (16J) | 600 | Bottle | 500cc | Yes |
| | .22 (5.5mm) | 17" (43.1cm) | 30 (41J) | 150 | Bottle | 500cc | Yes |
| | .25 (6.35mm) | 17" (43.1cm) | 40 (54J) | 110 | Bottle | 500cc | Yes |
| | .177 (4.5mm) | 17" (43.1cm) | 12 (16J) | 460 | HiLite | 480cc | Yes |
| | .177 (4.5mm) | 17" (43.1cm) | 18 (24J) | 160 | HiLite | 480cc | Yes |
| | .22 (5.5mm) | 17" (43.1cm) | 12 (16J) | 500 | HiLite | 480cc | Yes |
| | .22 (5.5mm) | 17" (43.1cm) | 30 (41J) | 130 | HiLite | 480cc | Yes |
| | .25 (6.35mm) | 17" (43.1cm) | 40 (54J) | 100 | HiLite | 480cc | Yes |
| | Wolverine R HP | .22 (5.5mm) | 23" (58.4cm) | 45 (61J) | 75 | Bottle | 500cc |
| .25 (6.35mm) | | 23" (58.4cm) | 50 (68J) | 65 | Bottle | 500cc | Yes |
| .303 (7.62mm) | | 23" (58.4cm) | 60 (81J) | 65 | Bottle | 500cc | Yes |
| .22 (5.5mm) | | 23" (58.4cm) | 45 (61J) | 65 | HiLite | 480cc | Yes |
| .25 (6.35mm) | | 23" (58.4cm) | 50 (68J) | 50 | HiLite | 480cc | Yes |
| .303 (7.62mm) | | 23" (58.4cm) | 60 (81J) | 55 | HiLite | 480cc | Yes |

| Description | Calibre | Barrel | Max Power ft/lbs | Max Shot Count | Source | Vol. | Reg. |
|----------------|---------------|--------------|------------------|----------------|---------|-------|------|
| Renegade | .177 (4.5mm) | 17" (43.1cm) | 12 (16J) | 200 | Cylind. | 300cc | No |
| | .177 (4.5mm) | 17" (43.1cm) | 18 (24J) | 80 | Cylind. | 300cc | No |
| | .22 (5.5mm) | 17" (43.1cm) | 12 (16J) | 220 | Cylind. | 300cc | No |
| | .22 (5.5mm) | 17" (43.1cm) | 33 (45J) | 50 | Cylind. | 300cc | No |
| | .25 (6.35mm) | 17" (43.1cm) | 35 (47J) | 60 | Cylind. | 300cc | No |
| Renegade HP | .22 (5.5mm) | 23" (58.4cm) | 50 (68J) | 35 | Cylind. | 300cc | No |
| | .25 (6.35mm) | 23" (58.4cm) | 60 (81J) | 35 | Cylind. | 300cc | No |
| | .303 (7.62mm) | 23" (58.4cm) | 80 (108J) | 18 | Cylind. | 300cc | No |
| Renegade HR | .177 (4.5mm) | 17" (43.1cm) | 12 (16J) | 250 | Cylind. | 300cc | Yes |
| | .177 (4.5mm) | 17" (43.1cm) | 18 (24J) | 100 | Cylind. | 300cc | Yes |
| | .22 (5.5mm) | 17" (43.1cm) | 12 (16J) | 310 | Cylind. | 300cc | Yes |
| | .22 (5.5mm) | 17" (43.1cm) | 30 (41J) | 75 | Cylind. | 300cc | Yes |
| | .25 (6.35mm) | 17" (43.1cm) | 35 (47J) | 80 | Cylind. | 300cc | Yes |
| Renegade HP HR | .22 (5.5mm) | 23" (58.4cm) | 42 (57J) | 50 | Cylind. | 300cc | Yes |
| | .25 (6.35mm) | 23" (58.4cm) | 50 (68J) | 35 | Cylind. | 300cc | Yes |
| | .303 (7.62mm) | 23" (58.4cm) | 60 (81J) | 45 | Cylind. | 300cc | Yes |
| | .22 (5.5mm) | 23" (58.4cm) | 42 (57J) | 50 | Cylind. | 300cc | Yes |

| Description | Calibre | Barrel | Max Power ft/lbs | Max Shot Count | Source | Vol. | Reg. |
|-------------|---------------|--------------|------------------|----------------|---------|-------|------|
| Pulsar | .177 (4.5mm) | 17" (43.1cm) | 12 (16J) | 220 | Cylind. | 300cc | No |
| | .177 (4.5mm) | 17" (43.1cm) | 18 (24J) | 110 | Cylind. | 300cc | No |
| | .22 (5.5mm) | 17" (43.1cm) | 12 (16J) | 250 | Cylind. | 300cc | No |
| | .22 (5.5mm) | 17" (43.1cm) | 35 (47J) | 55 | Cylind. | 300cc | No |
| | .25 (6.35mm) | 17" (43.1cm) | 38 (52J) | 55 | Cylind. | 300cc | No |
| Pulsar HP | .22 (5.5mm) | 23" (58.4cm) | 50 (68J) | 43 | Cylind. | 300cc | No |
| | .25 (6.35mm) | 23" (58.4cm) | 50 (68J) | 55 | Cylind. | 300cc | No |
| | .303 (7.62mm) | 23" (58.4cm) | 70 (95J) | 26 | Cylind. | 300cc | No |

| Description | Calibre | Barrel | Max Power ft/lbs | Max Shot Count | Source | Vol. | Reg. |
|---------------|--------------|--------------|------------------|----------------|--------|--------|-------|
| Red Wolf | .177 (4.5mm) | 17" (43.1cm) | 12 (16J) | 325 | Bottle | 400cc | No |
| | .22 (5.5mm) | 17" (43.1cm) | 12 (16J) | 350 | Bottle | 400cc | No |
| | .177 (4.5mm) | 17" (43.1cm) | 12 (16J) | 450 | Bottle | 500cc | No |
| | .177 (4.5mm) | 17" (43.1cm) | 18 (24J) | 200 | Bottle | 500cc | No |
| | .177 (4.5mm) | 17" (43.1cm) | 20 (27J) | 185 | Bottle | 500cc | No |
| | .22 (5.5mm) | 17" (43.1cm) | 12 (16J) | 510 | Bottle | 500cc | No |
| | .22 (5.5mm) | 17" (43.1cm) | 35 (47J) | 80 | Bottle | 500cc | No |
| | .25 (6.35mm) | 17" (43.1cm) | 45 (61J) | 50 | Bottle | 500cc | No |
| | .177 (4.5mm) | 17" (43.1cm) | 12 (16J) | 420 | HiLite | 480cc | No |
| | .177 (4.5mm) | 17" (43.1cm) | 18 (24J) | 180 | HiLite | 480cc | No |
| | .177 (4.5mm) | 17" (43.1cm) | 20 (27J) | 165 | HiLite | 480cc | No |
| | .22 (5.5mm) | 17" (43.1cm) | 12 (16J) | 475 | HiLite | 480cc | No |
| | .22 (5.5mm) | 17" (43.1cm) | 35 (47J) | 70 | HiLite | 480cc | No |
| | .25 (6.35mm) | 17" (43.1cm) | 45 (61J) | 40 | HiLite | 480cc | No |
| | Red Wolf HP | .22 (5.5mm) | 23" (58.4cm) | 50 (68J) | 80 | Bottle | 500cc |
| .25 (6.35mm) | | 23" (58.4cm) | 50 (68J) | 85 | Bottle | 500cc | No |
| .303 (7.62mm) | | 23" (58.4cm) | 65 (88J) | 55 | Bottle | 500cc | No |
| .22 (5.5mm) | | 23" (58.4cm) | 50 (68J) | 70 | HiLite | 480cc | No |
| .25 (6.35mm) | | 23" (58.4cm) | 50 (68J) | 75 | HiLite | 480cc | No |
| .303 (7.62mm) | 23" (58.4cm) | 65 (88J) | 45 | HiLite | 480cc | No | |

| Description | Calibre | Barrel | Max Power ft/lbs | Max Shot Count | Source | Vol. | Reg. |
|-------------|--------------|--------------|------------------|----------------|---------|-------|------|
| Griffin | .177 (4.5mm) | 17" (43.1cm) | 12 (16J) | 110 | Cylind. | 162cc | No |
| | .177 (4.5mm) | 17" (43.1cm) | 18 (24J) | 50 | Cylind. | 162cc | No |
| | .22 (5.5mm) | 17" (43.1cm) | 12 (16J) | 130 | Cylind. | 162cc | No |
| | .22 (5.5mm) | 17" (43.1cm) | 30 (41J) | 40 | Cylind. | 162cc | No |
| | .25 (6.35mm) | 17" (43.1cm) | 40 (54J) | 20 | Cylind. | 162cc | No |



WELCOME TO THE FAMILY



DAYSTATE LTD, UNIT 3 RALEIGH HALL INDUSTRIAL ESTATE,
ECCLESHALL, STAFFORDSHIRE ST21 6JL. UK



©DAYSTATE LTD. 2018 V20.4 E&OE.