



The Daystate CRX continues on from the highly successful CR97 but boasting several new innovations. The CRX now benefits from the latest technology in striker assemblies, striker springs, regulators, and our new two stage trigger unit. This new regulator can give even greater consistency leaving only the ammunition to chance. The most discerning Target Shooter who takes time to weigh, size, clean and batch his ammunition can expect incredibly low variations in shot-to-shot performance from this new unit. The barrel fitted to the CRX has been thoroughly tested to give optimum accuracy and the new two stage trigger units are honed to give the best feel and crispness, with a very comprehensive range of adjustments.

	TECHNICAL DATA	PERFORMANCE
O/A Length - 27" (686cm)	ACTION ONLY	.177cal - 110 shots at 12ft lbs.
Barrel Length - 20.5" (521cm)		(Fully regulated shots with a +/- of 5 feet per second)
Calibers - .177, .20, .22		FAC VERSION
No Safety		.177cal - up to 18ft lbs.
Weight - 5.5lbs (2.5 kilos) (action only)		.20cal - up to 20ft lbs.
		.22cal - up to 25ft lbs.



DAYSTATE LTD.
Small Arms Manufacturers



Birch House Lane, Cotes, Staffs. ST15 0QQ
 Tel: +44 (0)1782 791755 Fax: +44 (0)1782 791616
 Email: daystate@netcentral.co.uk
 Web: <http://www.daystate.co.uk>



Airguns of Arizona (Mr Robert Buchanan)
 251 East Broadway Mesa, Arizona 85210, USA
 Tel: 001 602 461 1113 Fax: 001 480 461 3928
 Email rtbuch@abilnet.com
 Website: www.ai.com/airamerica/airgunsofazerizona



Birch House Lane, Cotes, Staffs. ST15 0QQ. Tel: 01782 791755 Fax: 01782 791617
Email: daystate.ltd@virgin.net
Web: <http://www.daystate.co.uk>

OPERATING & MAINTENANCE INSTRUCTIONS

CRX

LOADING AND COCKING

Turn bolt (A) anti-clockwise and pull until it clicks. The bolt slides easily when the rifle is cocked. Insert pellet into the breech (B) making sure barrel is pointing down. Push bolt home and twist clockwise to lock.

CHARGING CRX MODEL

Remove dust cap from front of reservoir.

Connect female Snap-On connector onto male, **make sure the sleeve is fully forward and connection is secure. If not secure the connector will disengage from the gun under pressure.**

Check bleed screw on the gauge unit is closed and open valve on bottle **slowly**, pressure will now start to fill the gun reservoir.

Fill to recommended pressure and then close valve on bottle.

Open bleed valve on gauge block and bleed air out of filler hose.

When you are **sure** system is empty remove Snap-On connector and replace dust cap.

The gun is now fully charged and ready for use.

Always leave air pressure in your rifle, this keeps valves properly seated and prevents internal deterioration.

Important Notice... Whilst every care and attention has been taken to ensure only the best products have been used to manufacture your new gun, we must ask you not to exceed the recommendations for the gun. The pressure chamber must always be kept in good order, should damage occur to this part, i.e. Denting, Rusting, Exposure to extreme heat or cold or any other apparent blemish we ask you to return the gun for inspection and pressure testing. Regular maintenance of any mechanical equipment ensures longer trouble free life therefore routine inspection and service will help to give you accurate and consistent shooting. The recommended fill pressure must **not** be exceeded and care should be taken when filling to ensure all connections are tight and **do not** leak.

WARNING !!!!

Compressed air and oil are a highly combustible mixture. You **must not** under any circumstances put oil or spray oil anywhere near the inlet valve of your gun. Always have the dust cover in place when cleaning and oiling your gun.

You must **never** use **oxygen** in any pre-charged gun.



CRX Ser No: CRX..... Fill Pressure: 3000 p.s.i. 207 Bar

WARRANTY

12 Month warranty on failure of any Daystate manufactured parts from date of purchase. Proof of purchase required.

Warranty does not cover: 1. Seals, 2. Springs, 3. Failure due to fair wear and tear or misuse or abuse.

Warranty is void if gun is adapted or fitted with parts other than genuine Daystate spares.



THE CRX FIELD TARGET AIR RIFLE

DAYSTATE LTD
SMALL ARMS
MANUFACTURERS



BIRCH HOUSE LANE,
COTES, SWYNNERTON,
STAFFORDSHIRE. ST15 0QQ.
ENGLAND

TEL: +44 (0)1782 791755 FAX: +44 (0)1782 791617