



THE WORLD'S FINEST AIRGUNS & ACCESSORIES

WELCOME TO THE DAYSTATE AND BRK RANGE

2026/27

For nearly half a century, Daystate has challenged conventional thinking in airgun design. From pioneering electronic firing systems to redefining what a modern mechanical PCP can achieve, innovation has always driven everything we do.

In 2014, Daystate welcomed fellow British airgun manufacturer Brocock into the company. Since then, its evolution into BRK has brought a new generation of modular and tactical designs, created to meet the changing needs of the modern airgun shooter.

Built on decades of pioneering design and British manufacturing expertise, Daystate and BRK share a passion for pushing the boundaries of performance while remaining true to the precision and quality that have earned both brands worldwide respect.

From Daystate's advanced electronic technology to BRK's reputation for dependable, modular rifles, our products are trusted by hunters, professional pest controllers and target shooters around the world.

Whether through sophisticated electronic systems, refined mechanical actions or adaptable platforms that allow shooters to configure a rifle to their individual needs, we continue to develop products that move airgun design forward.

Whether you're a hunter, target shooter or pest controller, every rifle in this catalogue has been engineered with one purpose - to deliver absolute confidence every time you pull the trigger.



DAYSTATE

DAYSTATE TECHNOLOGY	4
BLACKWOLF	6
HUNTSMAN REVERE	12
DELTA WOLF & DELTA WOLF SMART	14
ALPHA WOLF & ALPHA WOLF SMART	16
ALPHA WOLF & DELTA WOLF PERFORMANCE	18
ALPHA WOLF BLUE SPECIAL EDITION	20
RED WOLF & RED WOLF HIGH POWER	22
RED WOLF GRAND PRIX	24



BRK

BRK TECHNOLOGY	27
BRK GHOST	28
PATHFINDER XR	30
RANGER XR2	32
COMMANDER XR2	34
COMMANDER XR2 MAGNUM	36
XR2 / SNIPER XR2 / SAHARA XR2 / SAFARI XR2	38
SNIPER XR2 / SAFARI XR2/ SAHARA XR2 MAGNUM	40



MTC OPTICS

KING COBRA	46
COPPERHEAD F2	47
VIPER CONNECT 3-12x32 & 4-16x32	48
MAMBA LITE	49
BLUEPRINT MOUNTS	50

ACCESSORIES

T2 300BAR COMPRESSOR	42
T3 LIGHTWEIGHT COMPRESSOR	42
RANGEMASTER PELLETS & SLUGS	43
ODB SILENCERS & SYSTEMS	44
PERFORMANCE CENTER	52

Daystate pioneered the modern precharged pneumatic (PCP) air rifle and has built a worldwide reputation for innovation, precision and performance.

Inside every Daystate rifle is a combination of advanced technology, precision engineering and carefully selected components. Our designs are continually refined, with each generation benefiting from advances in performance, accuracy and reliability.

Where specialist expertise delivers an advantage, Daystate works with some of the world's most respected manufacturers, including Germany's **Lothar Walther**, Dutch regulator specialist **Huma-Air**, Italian stockmaker **Minelli** and Britain's **PRS Accessories**.

ADVANCED VELOCITY TECHNOLOGY (AVT)


Advanced Velocity Technology (AVT) lies at the heart of the Alpha Wolf and Delta Wolf electronic platforms. Controlled through an intuitive color touchscreen, AVT allows the shooter to manage the rifle's electronic firing system and power settings with exceptional precision.



The chrono unit fitted to AVT rifles
The electronic heart of an Alpha and Delta Wolf

MAPPED COMPENSATED TECHNOLOGY (MCT)

Daystate's proven Mapped Compensated Technology (MCT) powers the Red Wolf series. A digital microprocessor controls the solenoid-operated air valve throughout the firing cycle, delivering exceptional shot-to-shot consistency, increased shot count and reduced action movement - all contributing to outstanding accuracy.




The MCT-boards fitted inside a Red Wolf

BLACKWOLF

Daystate's new Blackwolf incorporates everything we've learned in nearly 50 years of mechanical rifle development.

Volumax secondary chamber extensions for Blackwolf TAC



The Blackwolf trigger features eight-point adjustment from 8oz up to 3 lbs

REGULATORS

A regulator controls the pressure of air delivered for each shot. By reducing the primary high pressure to a lower, consistent operating pressure, it helps maintain uniform projectile velocity throughout the rifle's usable air charge.

Daystate's precision Huma-Air Regulators are developed to complement each rifle's firing system, minimizing shot-to-shot variation and virtually eliminating the traditional power curve.



Daystate's Huma-Air Regulator



Daystate rifles feature a regulator gauge

BARRELS

Daystate barrels are developed and tested in conjunction with our Accuracy Research Team (ART), bringing together experienced shooters and factory specialists in the pursuit of exceptional accuracy.

Barrel length, twist rate and profile are carefully matched to each rifle's intended performance and projectile type, with dedicated development for both pellets and slugs.



Daystate's ART barrel

WHERE VISIONARY TECHNOLOGY MEETS UNCOMPROMISING CRAFTSMANSHIP

DAYSTATE ART

Developing the next generation of air rifles takes more than innovation, it requires a constant pursuit of accuracy. That's why Daystate established its Accuracy Research Team (ART), bringing together experienced shooters and factory specialists to help refine new rifles throughout development and production.

The ART program ensures every new Daystate rifle is developed to meet the exacting standards of accuracy expected from the brand.

THE ART BARREL

Developed through the ART program, our ART Barrel System is fitted as standard across the High-Power range. Ongoing development focuses on improving accuracy and optimizing barrels for both pellet and slug ammunition.

DAYSTATE UPDATES

Daystate rifles continue to evolve after launch. Modular platforms such as the Blackwolf allow owners to benefit from future developments through downloadable software where applicable and retrofittable component upgrades.



DAYSTATE

BLACKWOLF

ENGINEERED ART

The Blackwolf is more than an air rifle. It is a fully modular shooting platform designed to evolve with you.

Choose the rifle that suits your needs today, then adapt, upgrade and reconfigure it as your shooting develops. With interchangeable components, adjustable power systems and multiple stock options, the Blackwolf can be configured for a wide range of disciplines.

Featuring 16 innovations brought together in a single Daystate rifle, the Blackwolf combines exceptional engineering with the handling, balance and finish expected from a flagship sporting air rifle.

ENGINEERED ART.

16 Key Features

- Fully modular platform design
- Quick-change ART Barrel System
- Interchangeable calibers and barrel lengths
- 20-position Power Wheel
- Interchangeable hammer springs
- Largest regulator chamber fitted to a Daystate rifle
- New eight-point adjustable trigger (8 oz–3.5 lb)
- Revolutionary firing valve system
- Ambidextrous sidelever
- Ambidextrous safety
- Trajectory-compensated Picatinny scope rail
- Adjustable cheekpiece and butt pad
- Bottle or cylinder air system
- Interchangeable stock system
- Slug-compatible High Power models
- Upgradeable modular architecture

In its UK 12 ft-lb configuration, the Blackwolf is compact, balanced and highly responsive. Available in .177 and .22, it measures just 980 mm and weighs from 2.9 kg, delivering instinctive handling and excellent control.

High-Power Performance

Higher-powered models add .25 and .30 calibers, unlocking the Blackwolf's full potential. The large regulator chamber and 20-position Power Wheel provide outstanding consistency and allow precise adjustment for different power levels and projectiles.

Multiple Rifles in One

Changing calibers and barrel lengths takes only minutes. With multiple barrel options across four calibers, the Blackwolf can be configured for everything from precision pellet shooting to high-power hunting.

With the 711 mm slug barrel fitted, the Blackwolf becomes fully slug-compatible.

Built for the Future

The Blackwolf Zero continues Daystate's modular philosophy, providing a base rifle that can be configured with components from the wider Blackwolf range.

One platform. Endless possibilities.





SCOPES BY
MTC
OPTICS



Blackwolf Carbon Grey
with air cylinder

Blackwolf Grey Laminate
HiLite



BLACKWOLF | MODULAR RIFLE SYSTEM

MODULAR PLATFORM DESIGN

Interchangeable componentry throughout lets you build the exact rifle you want for every shooting need, from hunting to target work. One gun, multiple personalities.



SLUG COMPATIBLE

A dedicated 711 mm barrel has been developed specifically for high-performance slug shooting.




Full barrel kit.



Barrel with tensioner and probe.

NEW EIGHT-POINT ADJUSTABLE TRIGGER

The most adjustable trigger ever fitted to a Daystate rifle, with extensive control over travel and pull weight. The trigger blade can also be positioned in three planes for a precise, personalized fit.



FAST CHANGE CALIBER SWAP

Quick-change barrels allow fast switching between calibers and barrel lengths, letting you configure the Blackwolf for different shooting requirements.



TENSIONED 'ART' BARREL SYSTEM

Available on selected models, the tensioned ART Barrel System increases barrel rigidity and helps improve accuracy at extended ranges.




20-STAGE INTEGRAL POWER ADJUSTER

A numbered Power Wheel provides fast, precise adjustment of the rifle's output to suit different shooting situations and pellet or slug types.



LOW PROFILE FOR BETTER TARGET ALIGNMENT

A reduced trigger-to-barrel centerline improves natural pointability, handling and target alignment.



AMBIDEXTROUS

The Blackwolf goes beyond an ambidextrous stock. Its sidelever can be quickly transferred from one side of the action to the other, allowing left- or right-handed shooters to configure the rifle around their natural shooting position.



AR-STYLE SAFETY CATCH LEVER

Reversible or removable to suit your shooting configuration, the Blackwolf's safety is perfectly positioned for ergonomic efficiency.



ANGLED PICATINNY SCOPE RAIL

The precision-machined and length adjustable Picatinny rail provides a rigid mounting platform ideally suited to conventional, digital and thermal optics. A built-in 0.3-degree (20 MOA) downward angle provides additional scope adjustment for shooting at extended ranges.



ADJUSTABLE CHEEKPIECE AND BUTT PAD

The height-adjustable cheekpiece and multi-adjustable butt pad allow the Blackwolf to be tailored to the individual shooter, helping achieve consistent head position, eye alignment and gun fit across different shooting disciplines.



BOTTLE OR CYLINDER OPTIONS

HiLite carbon-fiber bottle and alloy cylinder configurations provide more than a choice of appearance. Each changes the rifle's balance, weight and air capacity, allowing shooters to select the configuration best suited to their intended use.



TITANIUM FIRING VALVE SYSTEM



High Power models employ a lightweight titanium firing valve, combining exceptional strength with reduced moving mass. Lower inertia contributes to a smoother firing cycle, while faster valve closure improves efficiency, available energy and shot count.


REGULATED LIKE NO OTHER

The Blackwolf's Huma-Air Regulator works with the largest regulator chamber fitted to any Daystate PCP. This supports a consistent pressure delivery across a wide range of power levels, helping maintain exceptional shot-to-shot consistency.



UPGRADABLE PLATFORM

Blackwolf's modular architecture was designed with future development in mind. Daystate's ongoing R&D program allows new developments to be incorporated into the platform, with selected upgrades designed to be retrofitted to existing rifles where possible.



INTERCHANGEABLE STOCKS

The Blackwolf platform offers a choice of sporting and tactical configurations, including Carbon Grey, Walnut, Grey Laminate and multi-adjustable Tactical chassis options. Stocks can be changed, allowing the rifle's handling, ergonomics and appearance to evolve with the shooter.



Carbon Grey



Walnut



Laminate



B-TAC



C-TAC



BLACKWOLF | MODULAR RIFLE SYSTEM



Blackwolf Zero



Blackwolf
Walnut HiLite Bottle





Blackwolf
TAC with Volumax fitted



MAIN SPECIFICATIONS

Blackwolf (430mm Barrel)

Overall Length	38.5" (980mm)
Barrel Length	17" (430mm)
Weight*	6.4lbs (2.9kg)
Available Calibers	.177" (4.5mm) .22" (5.5mm)
Energy	.177" (4.5mm) Up to 35ft/lbs (47J) .22" (5.5mm) Up to 55ft/lbs (75J)

Blackwolf HP (600mm Barrel)

Overall Length	44.5" (1130mm)
Barrel Length	23" (600mm)
Weight*	6.83lbs (3.1kg)
Available Calibers	.177" (4.5mm) .22" (5.5mm) .25" (6.35mm) .30" (7.62mm)
Energy**	.177" (4.5mm) Up to 55ft/lbs (75J) .22" (5.5mm) Up to 73ft/lbs (99J) .25" (6.35mm) Up to 84ft/lbs (114J) .30" (7.62mm) Up to 125ft/lbs (170J)

Blackwolf (711mm Barrel) Slug Bullet compatible

Overall Length	49.5" (1257mm)
Barrel Length	28" (711mm)
Weight*	7.3lbs (3.3kg)
Available Calibers	.177" (4.5mm) .22" (5.5mm) .25" (6.35mm) .30" (7.62mm)
Energy**	.177" (4.5mm) Up to 39ft/lbs (53J) .22" (5.5mm) Up to 92ft/lbs (125J) .25" (6.35mm) Up to 120ft/lbs (163J) .30" (7.62mm) Up to 155ft/lbs (210J)

Full rifle specification including shots per charge and power options are shown on website.

*All weights approximate. Weight varies with stock/barrel type.

**The factory may set the muzzle energy lower than stated here to improve accuracy with current factory specified ammunition.

DAYSTATE

HUNTSMAN REVERE

TRADITIONAL ELEGANCE. MODERN PERFORMANCE.

The Daystate Huntsman Revere continues one of the most iconic names in airgunning, combining timeless sporting rifle styling with modern PCP technology. Its smooth sidelever action and precision Huma-Air Regulator deliver the consistency, accuracy and effortless handling that have defined the Huntsman for generations.

Designed for versatility, the Revere accommodates both Daystate's self-indexing magazine and the included single-shot loading tray, making the transition from field to range effortless.

Every Huntsman Revere features a shrouded match-grade barrel and crisp, two-stage adjustable trigger. Stock choices include beautifully hand-oiled Turkish walnut in dedicated right- and left-hand configurations, or the distinctive Safari Edition, with its tactile raised-grain finish, adjustable cheekpiece and fully ambidextrous design.

With its low-profile action, natural balance and unmistakably traditional lines, the Huntsman Revere brings together classic sporting craftsmanship and modern Daystate precision.

Key Features

Smooth sidelever action

Precision Huma-Air Regulator

Self-indexing magazine and single-shot tray

Shrouded match-grade barrel

Two-stage adjustable trigger

Hand-oiled Turkish walnut stock - right- or left-hand

Ambidextrous Safari Edition with raised-grain finish

Adjustable cheekpiece - Safari Edition

Low-profile action for natural balance and handling



Huntsman Revere



Huntsman Revere Safari Edition





The fully ambidextrous Huntsman Revere Safari

MAIN SPECIFICATIONS

Huntsman Revere / Huntsman Revere Safari Edition

Overall Length	36.5" (927mm)
Barrel Length	17" (430mm)
Weight*	6.1lbs (2.8kg)
Available Calibers	.177" (4.5mm)
	.22" (5.5mm)
	.25" (6.35mm)**
Energy**	.177" (4.5mm) Up to 12ft/lbs (16J)
	.22" (5.5mm) Up to 12ft/lbs (16J)
	.25" (6.35mm) Up to 40ft/lbs (54J)
Energy Safari Edition**	.177" (4.5mm) Up to 18ft/lbs (24J)
	.22" (5.5mm) Up to 30ft/lbs (40J)

Full rifle specification including shots per charge and power options are shown on website.

*All weights approximate. Weight varies with stock/barrel type

** The factory may set the muzzle energy lower than stated here to improve accuracy with current factory specified ammunition.



DAYSTATE

DELTA WOLF

THE ULTIMATE ELECTRONIC BULLPUP

The Daystate Delta Wolf brings our most advanced electronic technology together in a compact, fully ambidextrous bullpup platform. At its heart is Advanced Velocity Technology (AVT), combining electronic firing, precision Huma-Air regulation and intelligent control to deliver outstanding consistency and accuracy.

Despite the sophistication behind it, the Delta Wolf is remarkably simple to use. Its intuitive touchscreen control puts the rifle's key functions at your fingertips, with caliber-specific power settings making configuration straightforward. The electronics handle the complex calculations in the background, leaving the shooter free to concentrate on the shot.

For those who want to explore its capabilities further, the Delta Wolf offers extensive control. High Power models allow manual regulator adjustment for fine-tuning different projectiles and velocities, while the integrated chronograph provides immediate velocity information and works with the electronic system to help optimize performance.

Its fully ambidextrous chassis features a reversible sidelever, left- or right-side magazine loading and removable carbon fiber bottle. A repositionable Picatinny scope rail, adjustable butt pad and extensive Performance Center accessory options allow the rifle to be configured around the individual shooter.

DELTA WOLF SMART

The Delta Wolf SMART takes the same electronic platform and makes simplicity the priority. Streamlined programming and percentage-based power adjustment provide intuitive control without the integrated chronograph of the full AVT model.

Key Features

- Advanced Velocity Technology (AVT)
- Intuitive touchscreen control
- Electronic firing system
- Precision Huma-Air Regulator
- Integrated chronograph (AVT model)
- Manual regulator adjustment (High Power models)
- Ultra-Fast Flow Valve
- Removable carbon fiber bottle
- Fully ambidextrous design
- Reversible sidelever
- Left- or right-side magazine loading
- Twin magazine and large capacity magazine capability
- Repositionable Picatinny scope rail
- Performance Center accessory compatibility



Delta Wolf is available in a Bronze finish





MAIN SPECIFICATIONS

Delta Wolf

Overall Length	24.4" (722mm)
Barrel Length	17" (430mm)
Weight*	7.4lbs (3.35kg)
Available Calibers	.177" (4.5mm) .22" (5.5mm)
Energy**	.177" (4.5mm) Up to 20ft/lbs (27J) .22" (5.5mm) Up to 45ft/lbs (61J)

Delta Wolf HP (23"/600mm Barrel)

Overall Length	33.1" (842mm)
Barrel Length	23" (600mm)
Weight*	7.8lbs (3.55kg)
Available Calibers	.177" (4.5mm) .22" (5.5mm) .25" (6.35mm) .30" (7.62mm)
Energy**	.177" (4.5mm) Up to 34ft/lbs (46J) .22" (5.5mm) Up to 71ft/lbs (96J) .25" (6.35mm) Up to 75ft/lbs (101J) .30" (7.62mm) Up to 105ft/lbs (142J)

Delta Wolf HP (28"/711mm Barrel)

Overall Length	33.1" (842mm)
Barrel Length	28" (711mm)
Weight*	7.8lbs (3.55kg)
Available Calibers	.177" (4.5mm) .22" (5.5mm) .25" (6.35mm) .30" (7.62mm)
Energy**	.177" (4.5mm) Up to 37ft/lbs (50J) .22" (5.5mm) Up to 78ft/lbs (105J) .25" (6.35mm) Up to 81ft/lbs (109J) .30" (7.62mm) Up to 115ft/lbs (155J)

Full rifle specification including shots per charge and power options are shown on website.

*All weights approximate. Weight varies with stock/barrel type.

** The factory may set the muzzle energy lower than stated here to improve accuracy with current factory specified ammunition

SCOPES BY
MTC
OPTICS

DAYSTATE

ALPHA WOLF

ELECTRONIC PRECISION. SPORTING ELEGANCE

The Daystate Alpha Wolf combines our most advanced electronic technology with the balance, ergonomics and beautifully sculpted laminate stock of a traditional sporting rifle. The result is a distinctly different interpretation of the Wolf electronic platform—one that combines sophisticated control with unmistakable sporting elegance.

At its heart is Advanced Velocity Technology (AVT), bringing together electronic firing, precision Huma-Air regulation and an integrated chronograph. Yet, just like the Delta Wolf, sophisticated technology doesn't mean complicated operation. An intuitive touchscreen puts the rifle's key functions at your fingertips, while the electronics manage the complexity behind the scenes.

The quick-change ART Barrel System allows caliber and barrel changes to be made in minutes, giving the Alpha Wolf remarkable versatility. For shooters who want to explore its capabilities further, extensive adjustment and tuning options allow the rifle to be configured for different projectiles, power levels and shooting disciplines.

The sculpted laminate stock provides the Alpha Wolf with its distinctive sporting character, complemented by an adjustable cheekpiece and butt pad, fully adjustable trigger and repositionable Picatinny scope rail with integrated anti-cant bubble. Twin magazine capability, accessory rails and a carbon fiber air bottle complete a rifle designed to be as rewarding to own as it is to shoot.

ALPHA WOLF SMART

The Alpha Wolf SMART brings the same electronic platform to shooters who prefer simpler control. Streamlined programming and percentage-based power adjustment make operation intuitive, while removing the integrated chronograph of the full AVT model.



Key Features

- Advanced Velocity Technology (AVT)
- Intuitive touchscreen control
- Electronic firing system
- Precision Huma-Air Regulator
- Integrated chronograph (AVT model)
- Quick-change ART Barrel System
- Fast caliber conversion
- Carbon fiber air bottle
- Fully adjustable trigger
- Adjustable cheekpiece and butt pad
- Repositionable Picatinny scope rail with anti-cant bubble
- Twin magazine capability
- Multiple accessory rails
- Performance Center accessory compatibility
- Optional Brushed Silver finish



Optional Brushed silver finish





The Alpha Wolf is also available as Safari version, featuring a practical high-grip and textured wood stock, matched to a stylish bronze-anodised frame



MAIN SPECIFICATIONS

Alpha Wolf

Overall Length	24.4" (722mm)
Barrel Length	17" (430mm)
Weight*	7.4lbs (3.35kg)
Available Calibers	.177" (4.5mm) .22" (5.5mm)
Energy**	.177" (4.5mm) Up to 20ft/lbs (27J) .22" (5.5mm) Up to 45ft/lbs (61J)

Alpha Wolf HP (23"/600mm Barrel)

Overall Length	33.1" (842mm)
Barrel Length	23" (600mm)
Weight*	7.8lbs (3.55kg)
Available Calibers	.177" (4.5mm) .22" (5.5mm) .25" (6.35mm) .30" (7.62mm)
Energy**	.177" (4.5mm) Up to 34ft/lbs (46J) .22" (5.5mm) Up to 71ft/lbs (96J) .25" (6.35mm) Up to 75ft/lbs (101J) .30" (7.62mm) Up to 105ft/lbs (142J)

Alpha Wolf HP (28"/711mm Barrel)

Overall Length	33.1" (842mm)
Barrel Length	28" (711mm)
Weight*	7.8lbs (3.55kg)
Available Calibers	.177" (4.5mm) .22" (5.5mm) .25" (6.35mm) .30" (7.62mm)
Energy**	.177" (4.5mm) Up to 37ft/lbs (50J) .22" (5.5mm) Up to 78ft/lbs (105J) .25" (6.35mm) Up to 81ft/lbs (109J) .30" (7.62mm) Up to 115ft/lbs (155J)

Full rifle specification including shots per charge and power options are shown on website.

*All weights approximate. Weight varies with stock/barrel type

** The factory may set the muzzle energy lower than stated here to improve accuracy with current factory specified ammunition

DAYSTATE

ALPHA WOLF & DELTA WOLF PERFORMANCE

PERFORMANCE, REFINED

For shooters who want even more from the Alpha Wolf and Delta Wolf platforms, the Performance models take both rifles a stage further.

Building on the electronic technology and features of the standard Alpha Wolf and Delta Wolf shown on the preceding pages, these factory-enhanced models add increased airflow, upgraded ergonomics and exclusive styling. In High Power configurations, the revised airflow system also delivers increased muzzle energy, making them the most powerful production versions of the Alpha Wolf and Delta Wolf to date.

The **Alpha Wolf Performance** is immediately distinguished by its exclusive red and gray laminate stock with black-burst detailing. An integrated Picatinny accessory rail adds further versatility, while the Gecko ventilated anti-slip butt pad provides a secure and comfortable shooting position.

The **Delta Wolf Performance** takes a more purposeful approach, with a redesigned target grip and extended forend rail providing additional support and accessory mounting options for precision and competition shooting.

Both retain the proven electronic technology and intuitive control of their respective Alpha Wolf and Delta Wolf platforms. The difference is simple: **Performance models take the specification, capability and individuality one step further.**

Key Performance Upgrades

- Enhanced airflow system
- Increased muzzle energy - High Power models
- Gecko ventilated anti-slip butt pad
- Full Alpha/Delta Wolf electronic specification
- Integrated chronograph
- Huma-Air Regulator
- PC connectivity and software support

Alpha Wolf Performance

- Exclusive red/gray laminate stock
- Black-burst stock detailing
- Integrated Picatinny accessory rail

Delta Wolf Performance

- Redesigned target grip
- Extended forend accessory rail
- Performance Center accessory compatibility
- Delta Wolf Performance: Target grip and extended forend rail
- Compatible with Daystate Performance Center accessories



Alpha Wolf Performance HP Tactical Laminate

Delta Wolf Performance HP



Alpha Wolf



Delta Wolf





Alpha Wolf Shadow



Alpha Wolf Carbon

MAIN SPECIFICATIONS

Alpha Wolf

Overall Length	24.4" (722mm)
Barrel Length	17" (430mm)
Weight*	7.4lbs (3.35kg)
Available Calibers	.177" (4.5mm) .22" (5.5mm)
Energy**	.177" (4.5mm) Up to 20ft/lbs (27J) .22" (5.5mm) Up to 45ft/lbs (61J)

Alpha Wolf HP (23"/600mm Barrel)

Overall Length	33.1" (842mm)
Barrel Length	23" (600mm)
Weight*	7.8lbs (3.55kg)
Available Calibers	.177" (4.5mm) .22" (5.5mm) .25" (6.35mm) .30" (7.62mm)
Energy**	.177" (4.5mm) Up to 34ft/lbs (46J) .22" (5.5mm) Up to 71ft/lbs (96J) .25" (6.35mm) Up to 75ft/lbs (101J) .30" (7.62mm) Up to 105ft/lbs (142J)

Alpha Wolf HP (28"/711mm Barrel)

Overall Length	33.1" (842mm)
Barrel Length	28" (711mm)
Weight*	7.8lbs (3.55kg)
Available Calibers	.177" (4.5mm) .22" (5.5mm) .25" (6.35mm) .30" (7.62mm)
Energy**	.177" (4.5mm) Up to 37ft/lbs (50J) .22" (5.5mm) Up to 78ft/lbs (105J) .25" (6.35mm) Up to 81ft/lbs (109J) .30" (7.62mm) Up to 115ft/lbs (155J)

Full rifle specification including shots per charge and power options are shown on website.

*All weights approximate. Weight varies with stock/barrel type

**The factory may set the muzzle energy lower than stated here to improve accuracy with current factory specified ammunition

DAYSTATE

ALPHA WOLF BLUE

SPECIAL EDITION

STAND OUT FROM THE PACK

Some rifles are chosen purely for performance. Others are chosen because they offer something a little more individual.

The Alpha Wolf Blue Special Edition does both.

Built around the proven Alpha Wolf electronic platform, the Blue Special Edition adds an unmistakable visual identity with its striking blue and gray laminate stock and coordinating metalwork.

Available only for a limited period, rather than as a numbered production run, the Blue Special Edition gives Alpha Wolf owners the opportunity to choose something genuinely distinctive.

The 17-inch version is available in .177 and .22 calibers, while 23-inch High Power models add .25 and .30 options. A new 28-inch version is also available for shooters looking to take advantage of slug ammunition.

Special Edition details extend beyond the stock. Each rifle features a dedicated cocking handle and blue OdB moderator, and is supplied in a hard case with a Special Edition plaque.

Underneath its distinctive appearance is the full electronic technology and performance of the Alpha Wolf platform, including Advanced Velocity Technology (AVT), integrated chronograph, Huma-Air Regulator and touchscreen control. **For the complete Alpha Wolf specification, see pages 16–17.**

Special Edition Features

Striking blue and gray laminate stock

Coordinating blue metalwork

Special Edition cocking handle

Matching blue OdB moderator

Special Edition hard-case plaque

17-, 23- and 28-inch barrel configurations

Pellet and slug options

Full Alpha Wolf electronic platform

Available for a limited production period





MAIN SPECIFICATIONS

Alpha Wolf

Overall Length	24.4" (722mm)
Barrel Length	17" (430mm)
Weight*	7.4lbs (3.35kg)
Available Calibers	.177" (4.5mm) .22" (5.5mm)
Energy**	.177" (4.5mm) Up to 20ft/lbs (27J) .22" (5.5mm) Up to 45ft/lbs (61J)

Alpha Wolf HP (23"/600mm Barrel)

Overall Length	33.1" (842mm)
Barrel Length	23" (600mm)
Weight*	7.8lbs (3.55kg)
Available Calibers	.177" (4.5mm) .22" (5.5mm) .25" (6.35mm) .30" (7.62mm)
Energy**	.177" (4.5mm) Up to 34ft/lbs (46J) .22" (5.5mm) Up to 71ft/lbs (96J) .25" (6.35mm) Up to 75ft/lbs (101J) .30" (7.62mm) Up to 105ft/lbs (142J)

Alpha Wolf HP (28"/711mm Barrel)

Overall Length	33.1" (842mm)
Barrel Length	28" (711mm)
Weight*	7.8lbs (3.55kg)
Available Calibers	.177" (4.5mm) .22" (5.5mm) .25" (6.35mm) .30" (7.62mm)
Energy**	.177" (4.5mm) Up to 37ft/lbs (50J) .22" (5.5mm) Up to 78ft/lbs (105J) .25" (6.35mm) Up to 81ft/lbs (109J) .30" (7.62mm) Up to 115ft/lbs (155J)

Full rifle specification including shots per charge and power options are shown on website.

*All weights approximate. Weight varies with stock/barrel type
**The factory may set the muzzle energy lower than stated here to improve accuracy with current factory specified ammunition

SCOPES BY
MTC
OPTICS

DAYSTATE

RED WOLF & RED WOLF HIGH POWER

THE ELECTRONIC LEGEND

The Daystate Red Wolf has earned its reputation as one of the world's finest electronic PCP air rifles. Combining timeless sporting elegance with proven electronic technology, it delivers exceptional accuracy, reliability and effortless performance.

At its heart is Daystate's proven Mapped Compensated Technology (MCT) electronic firing system, developed and refined over generations of electronic air rifles. Precise control of the firing cycle delivers exceptional shot-to-shot consistency, impressive shot count and a remarkably smooth shooting experience. Combined with a fully adjustable trigger and precision ART Barrel System, the result is a rifle that makes outstanding accuracy feel almost effortless.

Available in Red Laminate, Midnight Blue Laminate, Walnut and the durable Safari finish, the Red Wolf combines classic sporting style with modern ergonomics. An adjustable cheekpiece and butt pad provide a personalized fit, while many optional accessories allow further customization.

A lightweight carbon-fiber bottle, smooth and sidelever action and high-capacity self-indexing magazine complete a rifle that has become renowned for its accuracy, reliability and sheer enjoyment to shoot.

Key Features

Proven Mapped Compensated Technology (MCT) electronic firing system

Digitally regulated for exceptional consistency

Precision ART Barrel System

17 and 23 inch barrel options

Integrated carbon moderator

Lightweight carbon fiber bottle

Match-grade adjustable trigger

Smooth sidelever action

High-capacity self-indexing magazine

Adjustable cheekpiece and butt pad

Ambidextrous design with reversible sidelever

Red Laminate, Midnight Blue Laminate, Walnut and Safari stock options

Compatible with Daystate Performance Center accessories



Red Wolf 'Midnight'



Red Wolf HP





The Red Wolf Laminated

MAIN SPECIFICATIONS

Red Wolf

Overall Length	39" (990mm)
Barrel Length	17" (430mm)
Weight*	7.4lbs (3.35kg)
Available Calibers	.177" (4.5mm) .22" (5.5mm)
Energy**	.177" (4.5mm) Up to 20ft/lbs (27J) .22" (5.5mm) Up to 45ft/lbs (61J)

Red Wolf HP

Overall Length	45" (1140mm)
Barrel Length	23" (600mm)
Weight*	8.5lbs (3.8kg)
Available Calibers	.177" (4.5mm) .22" (5.5mm) .25" (6.35mm) .30" (7.62mm)
Energy**	.177" (4.5mm) Up to 30ft/lbs (41J) .22" (5.5mm) Up to 65ft/lbs (88J) .25" (6.35mm) Up to 65ft/lbs (88J) .30" (7.62mm) Up to 80ft/lbs (108J)

Full rifle specification including shots per charge and power options are shown on website.

*All weights approximate. Weight varies with stock/barrel type

**The factory may set the muzzle energy lower than stated here to improve accuracy with current factory specified ammunition

SCOPES BY
MTG
OPTICS

DAYSTATE

RED WOLF GRAND PRIX

THE PERFECTION OF PRECISION

The Red Wolf Grand Prix takes Daystate's proven Red Wolf electronic platform and transforms it into a dedicated competition rifle. At its heart is the same renowned electronic action and precision barrel system, now housed within a purpose-designed target chassis developed in conjunction with Britain's Precision Rifle Systems (PRS).

Machined to exceptional standards and available in Red or Black, the GP chassis provides extensive adjustment to create a precise, personalized shooting position. An adjustable cheek rest, butt assembly, forend and full-length Picatinny rail allow the rifle to be configured for benchrest and other demanding target disciplines.

Its substantial construction also brings additional weight and stability—an advantage where consistency and absolute control matter more than portability. A short-throw sidelever allows faster, more economical reloading with minimal disturbance to the shooting position.

The Red Wolf's electronic trigger can be precisely adjusted to suit the shooter, while the LCD display provides essential information including power setting, remaining air pressure, shot count and battery status.

The result is everything that makes the Red Wolf exceptional, transformed into a rifle built purely for competition.



Key Features

- Proven Red Wolf MCT electronic platform
- Purpose-designed PRS competition chassis
- Red or Black finish
- Short-throw sidelever
- Fully adjustable cheek rest and butt assembly
- Adjustable forend
- Full-length Picatinny optics rail
- Increased weight for enhanced target stability
- Fully adjustable electronic trigger
- LCD rifle-status display
- Extensive PRS accessory compatibility
- Designed specifically for competition shooting





MAIN SPECIFICATIONS

Red Wolf GP

Overall Length	39" (990mm)
Barrel Length	17" (430mm)
Weight*	7.4lbs (3.35kg)
Available Calibers	.177" (4.5mm) .22" (5.5mm)
Energy**	.177" (4.5mm) Up to 20ft/lbs (27J) .22" (5.5mm) Up to 45ft/lbs (61J)

Red Wolf GP HP

Overall Length	45" (1140mm)
Barrel Length	23" (600mm)
Weight*	8.5lbs (3.8kg)
Available Calibers	.177" (4.5mm) .22" (5.5mm) .25" (6.35mm) .30" (7.62mm)
Energy**	.177" (4.5mm) Up to 30ft/lbs (41J) .22" (5.5mm) Up to 65ft/lbs (88J) .25" (6.35mm) Up to 65ft/lbs (88J) .30" (7.62mm) Up to 80ft/lbs (108J)

Full rifle specification including shots per charge and power options are shown on website.

*All weights approximate. Weight varies with stock/barrel type

** The factory may set the muzzle energy lower than stated here to improve accuracy with current factory specified ammunition

SCOPES BY
MTG
OPTICS



BRK PRECHARGED AIR RIFLES

RUGGED RELIABILITY, WITH MODULARITY
AND PRACTICAL PERFORMANCE

AIR REGULATOR

In recent years, many air rifle manufacturers have recognized the benefits of fitting their rifles with a regulator, a small high-pressure device that controls the volume and pressure of air used for each shot.

But there are regulators, and then there are regulators. The role they perform is vital to ensure consistent power delivery and accuracy and to make the most of every drop of air in your rifle's bottle or cylinder.

Simply put, Dutch company Huma-Air makes the best regulators in the world and every BRK and Daystate rifle has one. Each regulator is designed in partnership with Huma-Air to complement our latest hammer designs to precisely meter air release to eliminate inaccuracy related to a power curve and ensure minimal shot-to-shot deviation as the rifle cycles through its usable air charge. In addition to superior accuracy, the use of an air regulator achieves more efficient use of air to return more shots per fill up.



Founded in Birmingham's historic Gun Quarter, Brocock has been producing British air rifles for nearly four decades. Today, under the BRK name, that heritage continues at our purpose-built Staffordshire facility, shared with sister company Daystate.

BRK represents the modern spirit of the company: creative, innovative, and uncompromising in quality. Using advanced CNC manufacturing, precision regulation, and proven engineering, our rifles are built to deliver outstanding accuracy and dependable performance.

Modularity lies at the heart of BRK design. From folding stocks and interchangeable air bottles or cylinders to adaptable configurations and accessories, each rifle can be tailored to the shooter and the task.

Rugged, reliable, and built to perform, BRK rifles have long been trusted by professional pest controllers. Today, those same qualities make them equally at home in the hands of hunters and competition shooters around the world.

THE A.R.T. BARREL


The Accuracy Research Team (A.R.T.) is a collaboration between world renowned barrel specialists and a worldwide group of expert shooters from a range of disciplines. Their combined expertise has resulted in the creation of air rifle barrels that far exceed the accuracy potential of anything seen up until now. The Accuracy Research Team (A.R.T.) developed barrels fitted exclusively to BRK and Daystate rifles to deliver accuracy and performance that other companies simply struggle to match.



SELF-INDEXING MAGAZINE

Our high-capacity magazines are made from the finest alloy materials to deliver many thousands of shots reliably and accurately. The self-indexing design is easy to load and ensures perfect pellet/slug to bore alignment. And each magazine inserts into the breech from the right to accommodate scopes with oversize parallax adjustment wheels.

.177 13 shots
.22 11 shots
.25 10 shots
.30 8 shots



BRK

GHOST

ENGINEERED WITHOUT COMPROMISE. BUILT TO PERFORM

The BRK Ghost is the flagship of the BRK range - a precision-engineered mechanical PCP built around exceptional rigidity, versatility and reliability.

At its heart is a one-piece monocoque chassis, precision-machined to provide exceptional strength and structural stability while minimizing potential leak points. This rigid foundation supports the Ghost's barrel, action and air system, helping deliver outstanding consistency and accuracy shot after shot.

A quick-change barrel system allows caliber and barrel changes in minutes, with 17", 23" and 28" options, including dedicated slug-compatible configurations. Combined with a 20-position external Power Dial and externally adjustable regulator on selected High Power models, the Ghost can be precisely configured for different projectiles, power levels and shooting disciplines.

Available in Carbine, Plus, High Power and Ghost Zero configurations, with carbon fiber bottle or quick-change cylinder options, the Ghost offers exceptional versatility in a single platform.

Fully ambidextrous, with a reversible sidelever and left- or right-hand magazine feed, the Ghost also features a superb adjustable trigger, adjustable butt pad, shrouded barrel, ½" UNF moderator thread and adjustable Picatinny optics rail.

'Precision machined. Exceptionally rigid. Built to perform. The Ghost represents the pinnacle of BRK mechanical engineering.'



Key Features

- BRK flagship mechanical PCP
- One-piece precision-machined monocoque chassis
- Quick-change barrel and caliber system
- 17", 23" and 28" barrel options
- Dedicated slug-compatible configurations
- Carbine, Plus, High Power and Ghost Zero models
- Carbon-fiber bottle and quick-change cylinder options
- 20-position external Power Dial
- Externally adjustable regulator on selected High Power models
- Fully ambidextrous design
- Reversible sidelever
- Left- or right-hand magazine feed
- Match-grade adjustable trigger
- Adjustable Picatinny optics rail
- ½" UNF moderator thread
- Shrouded barrel with ½" UNF thread
- Adjustable Picatinny scope rail
- Premium hard case supplied*



*except Ghost Zero



NEW Ghost Zero

Ghost HP (High Power) with accessories

MAIN SPECIFICATIONS

Ghost Carbine

Overall Length	26" (655mm)
Barrel Length	17" (432mm)
Weight*	6.83lbs (3.1kg)

Ghost Plus

Overall Length	29" (731mm)
Barrel Length	17" (432mm)
Weight*	7.05lbs (3.2kg)

Ghost HP

Overall Length	33.6" (855mm)
Barrel Length	28" (711mm)
Weight*	7.5lbs (3.4kg)

Ghost Carbine, Plus & HP

Available Calibers	.177" (4.5mm)
	.22" (5.5mm)
	.25" (6.35mm)
	.30" (7.62mm)

Energy**	.177 (4.5mm) Up to 31ftlbs (42J)
	.22" (5.5mm) Up to 65ftlbs (88J)
	.25" (6.35mm) Up to 70ftlbs (95J)
	.30" (7.62mm) Up to 95ftlbs (129J)

Full rifle specification including shots per charge and power options are shown on website.

*All weights approximate. Weight varies with stock/barrel type

** The factory may set the muzzle energy lower than stated here to improve accuracy with current factory specified ammunition

'SCOPES BY
MTC
OPTICS

BRK

PATHFINDER XR

COMPACT. CAPABLE. READY FOR THE FIELD

The BRK Pathfinder XR combines the familiar handling of a conventional sporting rifle with exceptional portability. Designed for hunters and pest controllers, it delivers full-size rifle performance from a remarkably compact platform.

At just 616mm with the stock extended and only 416mm folded, the Pathfinder XR is ideally suited to hides, vehicles and confined hunting environments. Its folding stock also allows the rifle to fit into the optional purpose-designed backpack, making it exceptionally easy to carry discreetly between locations.

A 300cc carbon-fiber bottle keeps weight to just 2.9kg (6.4lbs) while providing over 200 shots per fill in 12 ft-lb configuration. Export and FAC models offer higher power levels, with .22 and .25 caliber versions producing to 25 ft-lbs.

A precision Huma-Air Regulator and proven barrel system deliver excellent shot-to-shot consistency and outstanding accuracy, while the smooth sidelever action provides fast, effortless cycling for follow-up shots.

Available in Black or Olive Green, the Pathfinder XR proves that choosing a compact rifle doesn't mean compromising on handling, accuracy or performance.

Key Features

Compact conventional rifle configuration

Folding stock – 616mm extended / 416mm folded

Lightweight 2.9kg (6.4lbs) design

300cc carbon-fiber bottle

Over 200 shots per fill in 12 ft-lb configuration

Up to 25 ft-lbs in .22 Export/FAC configuration

Precision Huma-Air Regulator

Smooth sidelever action

Black or Olive Green finish

Compatible with optional Pathfinder rifle backpack





MAIN SPECIFICATIONS

Pathfinder XR

Overall Length	26" (655mm)
Barrel Length	12" (305mm)
Weight*	6.83lbs (3.1kg)
Available Calibers	.177" (4.5mm) .22" (5.5mm) .25" (6.35mm)
Energy**	12-25ftlbs (16-34J)

Full rifle specification including shots per charge and power options are shown on website.

*All weights approximate. Weight varies with stock/barrel type

**The factory may set the muzzle energy lower than stated here to improve accuracy with current factory specified ammunition

'SCOPES BY
MTG
OPTICS

Pathfinder OG (Olive Green) comes as a kit with MF silencer, and backpack carry bag.



BRK

RANGER XR2

ONE PLATFORM. FOUR WAYS TO MAKE IT YOURS

The BRK Ranger XR2 takes the compact rifle concept in a new direction. Available in four distinct configurations: Lite, Recon, Compact and Tactical - the BRK Ranger XR2 allows shooters to choose the combination of portability, handling and equipment that best suits the way they shoot.

At its heart is a precision Lothar Walther Barrel, Huma-Air Regulator and match-grade adjustable trigger, providing the accuracy and consistency expected from a modern BRK rifle. Each XR2 configuration builds around this proven core, from the lightweight simplicity of the Lite to the fully equipped Tactical.

A 13-position Power Wheel, standard on selected models and available as an option on the Lite, works alongside the three-position transfer-port selector to provide extensive control over the rifle's performance. Particularly useful on higher-power Export configurations, it allows the shooter to quickly adapt the rifle to different power requirements, projectiles and shooting situations.

Compact dimensions, lightweight construction and modular stock options make the XR2 exceptionally easy to carry and handle, while Picatinny mounting points provide the flexibility to configure optics and accessories to suit the individual shooter.

Four configurations. One proven platform. Choose the Ranger XR2 that fits the way you shoot.



Key Features

- Four configurations: Lite, Recon, Compact and Tactical
- Precision Lothar Walther Barrel
- Huma-Air Regulator
- Match-grade adjustable trigger
- 13-position Power Wheel
- Three-position transfer port selector
- Lightweight, compact construction
- Modular stock configurations
- Picatinny optics and accessory mounting
- UK and higher-power Export configurations





TACTICAL
Fully equipped.
Maximum
adjustability.

COMPACT
Foldable.
Portable.
Purpose-built.

MAIN SPECIFICATIONS

Ranger XR2

Overall Length	Depending on model and folding stock. (See website for table)
Barrel Length	Compact - 12" (305mm) Lite, Recon, Tactical - 17" (430mm)
Weight*	Depending on model and power. (See website for table)
Available Calibers	.177" (4.5mm) .22" (5.5mm) .25" (6.35mm)
Energy**	12-40ftlbs (16-54J) (See website for table)

Full rifle specification including shots per charge and power options are shown on website.

**All weights approximate. Weight varies with stock/barrel type*

*** The factory may set the muzzle energy lower than stated here to improve accuracy with current factory specified ammunition*

'SCOPES BY
MTI
OPTICS

BRK

COMMANDER XR2

MODULAR. VERSATILE. BUILT FOR THE FIELD



The BRK Commander XR2 combines conventional rifle handling with the adaptability of a modern modular PCP. Designed for hunters and pest controllers who value capacity, adjustability and dependable performance, it offers a practical full-size alternative within the BRK range.

At its heart is a Huma-Air Regulator and refined firing system, complemented by the XR2's 13-position Power Wheel and three-position transfer-port selector. Together they provide up to 39 power combinations, giving shooters extensive control over the rifle's performance.

A lightweight 480cc carbon-fiber bottle provides generous air capacity, while the 430mm match-grade barrel and integrated silencer combine accuracy with a compact, field-friendly profile.

The telescopic stock can be quickly adjusted for length of pull, with an optional folding mechanism providing additional portability when required. An ambidextrous polymer stock with AK-style grip, available in Black or Desert Sand, combines durability with comfortable handling in demanding field conditions.

Adjustable, adaptable and built around proven BRK engineering, the Commander XR2 is a rifle designed to work the way you do.

Key Features

- 13-position Power Wheel
- Three-position transfer-port selector
- Up to 39 power combinations
- Huma-Air Regulator
- 480cc carbon-fiber bottle
- 432mm match-grade barrel
- Smooth sidelever action
- High-capacity self-indexing magazine
- Ambidextrous polymer stock with AK-style grip
- Adjustable telescopic stock
- Optional folding-stock mechanism
- Black or Sand finish



Commander XR2 in Sand color





MAIN SPECIFICATIONS

Commander XR2

Overall Length 33.6ins - 37ins
(855mm-940mm)

Barrel Length 17" (430mm)

Weight* 6.4lbs (2.9kg)

Available Calibers .177" (4.5mm)

.22" (5.5mm)

.25" (6.35mm)

Energy 12-46ftlbs (16-68J)

Full rifle specification including shots per charge and power options are shown on website.

*All weights approximate. Weight varies with stock/barrel type

** The factory may set the muzzle energy lower than stated here to improve accuracy with current factory specified ammunition

SCOPES BY
MTG
OPTICS

BRK

COMMANDER XR2 MAGNUM

MORE POWER. MORE RANGE. SAME PROVEN PLATFORM



The Commander XR2 Magnum takes the versatility of the Commander platform and optimizes it for higher-power performance.

Available in .177, .22 and .25 calibers, the Magnum combines a longer 600mm ART Barrel System with the Commander XR2's 480cc carbon-fiber bottle and Huma-Air Regulator. With .22 models producing up to 46 ft-lbs and .25 models up to 55 ft-lbs, it delivers the additional energy demanded by serious high-power shooting.

The 13-position Power Wheel works alongside the three-position transfer-port selector to provide up to 39 power combinations, allowing the shooter to tailor performance to different projectiles, ranges and shooting requirements.

Despite its increased performance, the Magnum retains the handling and adaptability of the standard Commander XR2, including its adjustable telescopic stock, optional folding mechanism, ambidextrous polymer furniture, smooth sidelever action and adjustable two-stage trigger.

For shooters who want the versatility of the Commander with significantly greater power, the XR2 Magnum delivers.

Key Features

High Power Commander XR2 configuration

Up to 18 ft-lbs in .177

Up to 46 ft-lbs in .22

Up to 55 ft-lbs in .25

600mm ART Barrel System

480cc carbon-fiber bottle

Huma-Air Regulator

13-position Power Wheel

Three-position transfer-port selector

Up to 39 power combinations

Smooth sidelever action

Self-indexing magazine

Adjustable telescopic stock

Optional folding-stock mechanism

Ambidextrous polymer stock with AK-style grip

Black or Sand finish

Two-stage adjustable trigger

Integrated silencer with ½" UNF thread for additional moderator





MAIN SPECIFICATIONS

Commander XR2 Magnum

Overall Length	41ins to 46ins (1,010mm-1,117mm)
Barrel Length	23ins (600mm)
Weight*	6.7lbs (3kg)
Available Calibers	.22" (5.5mm) .25" (6.35mm) .177" (4.5mm)
Energy**	46-55ftlbs (62-74J)

Full rifle specification including shots per charge and power options are shown on website.

*All weights approximate. Weight varies with stock/barrel type

** The factory may set the muzzle energy lower than stated here to improve accuracy with current factory specified ammunition



BRK

XR2 • SNIPER XR2 • SAHARA XR2 • SAFARI XR2

BALANCED BY DESIGN. BUILT TO HANDLE



The BRK Sniper XR2 combines the familiar feel of a conventional rifle with an innovative semi-bullpup layout designed to improve balance, handling and pointability.

By positioning the grip and trigger further forward beneath the action, more of the rifle's mass is brought back towards the shooter. The result is a more neutral center of gravity than a conventional front-heavy rifle, creating a remarkably natural feel and allowing the Sniper XR2 to move quickly and instinctively onto the target.

At the heart of the XR2 is a precision 430mm match-grade barrel, Huma-Air Regulator and adjustable two-stage trigger. A 13-position Power Wheel works alongside the three-position transfer-port selector to provide up to 39 power combinations, giving extensive control over the rifle's performance.

Despite its full-length handling, the semi-bullpup configuration keeps overall length to just 896mm. Adjustable cheekpiece and butt pad settings allow the rifle to be tailored to the individual shooter, while Picatinny optics and accessory rails provide plenty of scope for further customization.

Compact without feeling cramped, the Sniper XR2 is engineered around balance, pointability and instinctive handling.

Key Features

Forward-positioned grip and trigger for improved balance

Semi-bullpup configuration

Neutral center of gravity for fast, instinctive handling

430mm match-grade barrel

Huma-Air Regulator

13-position Power Wheel

Three-position transfer-port selector

Up to 39 power combinations

Smooth sidelever action

Self-indexing magazine

Adjustable two-stage trigger

Adjustable cheekpiece and butt pad

Ambidextrous stock design

Picatinny optics and accessory rails

Integrated silencer with moderator adaptor



Sniper XR2 Laminate



Sniper XR2 Safari



Sniper XR2 Sahara





MAIN SPECIFICATIONS

XR2, Sniper, Sahara, Safari XR2

Overall Length	40ins (1036mm)
Barrel Length	17ins (430mm)
Weight*	7.3lbs (3.3kg)
Available Calibers	.177 (4.5mm) .22" (5.5mm) .25" (6.35mm)
Energy**	12-50ftlbs (16-68J)

Full rifle specification including shots per charge and power options are shown on website.

*All weights approximate. Weight varies with stock/barrel type

**The factory may set the muzzle energy lower than stated here to improve accuracy with current factory specified ammunition

SCOPES BY
MTC
OPTICS

The 13 step power wheel



BRK

SNIPER XR2 • SAFARI XR2 • SAHARA XR2 MAGNUM

BALANCED BY DESIGN. BUILT TO HANDLE



The BRK Sniper XR2 combines the familiar feel of a conventional rifle with an innovative semi-bullpup layout designed to improve balance, handling and pointability.

By positioning the grip and trigger further forward beneath the action, more of the rifle's mass is brought back towards the shooter. The result is a more neutral center of gravity than a conventional front-heavy rifle, creating a remarkably natural feel and allowing the Sniper XR2 to move quickly and instinctively onto the target.

At the heart of the XR2 is a precision 430mm match-grade barrel, Huma-Air Regulator and adjustable two-stage trigger. A 13-position Power Wheel works alongside the three-position transfer-port selector to provide up to 39 power combinations, giving extensive control over the rifle's performance.

Despite its full-length handling, the semi-bullpup configuration keeps overall length to just 896mm. Adjustable cheekpiece and butt pad settings allow the rifle to be tailored to the individual shooter, while Picatinny optics and accessory rails provide plenty of scope for further customization.

Compact without feeling cramped, the Sniper XR2 is engineered around balance, pointability and instinctive handling.

Key Features

Forward-positioned grip and trigger for improved balance

Semi-bullpup configuration

Neutral center of gravity for fast, instinctive handling

600mm match-grade barrel

Huma-Air Regulator

13-position Power Wheel

Three-position transfer-port selector

Up to 39 power combinations

Smooth sidelever action

Self-indexing magazine

Adjustable two-stage trigger

Adjustable cheekpiece and butt pad

Ambidextrous stock design

Picatinny optics and accessory rails

Integrated silencer with moderator adaptor



Sniper XR2 Magnum



Safari XR2 Magnum



Sahara XR2 Magnum





MAIN SPECIFICATIONS

Sniper XR2 Magnum, Sahara XR2 Magnum, Safari XR2 Magnum

Overall Length	40ins (1036mm)
Barrel Length	23ins (600mm)
Weight*	7.3lbs - 8.1lbs (3.3kg - 3.7kg)
Available Calibers	.177 (4.5mm) .22" (5.5mm) .25" (6.35mm)
Energy**	46-55ftlbs (62-75J)

Full rifle specification including shots per charge and power options are shown on website.

*All weights approximate. Weight varies with stock/barrel type

**The factory may set the muzzle energy lower than stated here to improve accuracy with current factory specified ammunition

‘SCOPES BY
MTG
OPTICS

The 13 step power wheel



DAYSTATE

T2 300BAR COMPRESSOR

SERIOUS AIR. SERIOUS PERFORMANCE

Designed for gun shops, shooting clubs and demanding PCP airgunners, the Daystate T2 provides fast, reliable 300 BAR charging without dependence on an external air supplier.

With an impressive delivery rate of 80 liters per minute, the T2 can fill a 10-liter 300 BAR (4,350psi) cylinder from empty in approximately 30 minutes, or top it up from 150 BAR in less than 15 minutes. Its high-capacity filtration system helps ensure a clean, dry air supply for dependable charging.

A large, easy-to-read pressure gauge allows the required fill pressure to be preset, with automatic shut-off when that pressure is reached. A built-in run-time counter helps track operating hours and simplifies routine servicing.

Robust, self-contained and considerably faster than many portable alternatives, the T2 is an ideal solution wherever regular, high-volume PCP charging is required.



Key Features

- 300 BAR / 4,350psi maximum pressure
- Powerful 2.2kW motor
- 80 liters/minute delivery rate
- 10-liter cylinder filled from empty in approximately 30 minutes
- 150–300 BAR top-up in under 15 minutes
- High-capacity air filtration system
- Preset pressure control
- Automatic shut-off
- Built-in run-time counter
- 110V or 230V versions
- Robust, self-contained construction



DAYSTATE

T3 LIGHTWEIGHT COMPRESSOR

COMPACT AIR INDEPENDENCE

The Daystate T3 provides a lighter and more affordable route to independent 300 BAR charging. At 28kg, it is around 35% lighter than the T2 and is particularly suited to individual shooters who value portability over maximum charging speed.

Its 1.1kW motor delivers 40 liters per minute, while a large pressure gauge, automatic shut-off and built-in run-time counter provide straightforward, convenient operation.

Compact and self-contained, the T3 brings many of the practical benefits of the T2 to shooters requiring a more portable charging solution.



Key Features

- Lightweight 28kg (61.7lbs) construction
- 1.1kW motor
- 40 liters/minute delivery rate
- Large pressure gauge
- Automatic shut-off
- Built-in run-time counter
- 110V or 230V versions
- Compact, self-contained design
- Dimensions: 65 x 35 x 39cm (25.6 x 13.8 x 15.4")
- Noise: 91dB

RANGEMASTER PELLETS

PRECISION STARTS WITH THE PELLET

The right ammunition is essential to achieving the best accuracy and performance from any air rifle. Rangemaster pellets are precision manufactured by leading specialist producers, including JSB and H&N Sport, to deliver consistent performance shot after shot.

Available in a wide choice of calibers, weights and profiles, the Rangemaster range covers everything from target shooting and general use to hunting and high-power applications.

Supplied in easily identifiable color-coded tins, choosing the right Rangemaster pellet for your rifle couldn't be simpler.

Precision made. Consistent. Proven.



TYPE	CALIBER	WEIGHT	MAX ENERGY	USE
SOVEREIGN	.177" (4.5mm)	8.44gr (.547g)	Up to 18ft/lbs (24J)	Field Target
SOVEREIGN	.22" (5.5mm)	15.9gr (1.03g)	Up to 30ft/lbs (40J)	Hunting and general purpose
KAISER	.177" (4.5mm)	8.64gr (.56g)	Up to 18ft/lbs (24J)	Hunting and Field Target shooting
KAISER	.22" (5.5mm)	14.66gr (.95g)	Up to 25ft/lbs (34J)	Hunting and Field Target
SOVEREIGN HUNTER	.177" (4.5mm)	10.33gr (.67g)	Up to 18ft/lbs (24J)	Hunting and general purpose
SOVEREIGN HUNTER	.22" (5.5mm)	18.3gr (1.175g)	Up to 36ft/lbs (48J)	Hunting and general purpose
KING	.177" (4.5mm)	13.39gr (.87g)	Up to 20ft/lbs (27J)	Hunting and Field Target shooting
KING	.22" (5.5mm)	25.38gr (1.645g)	Up to 55ft/lbs (47J)	Hunting and general purpose
KING	.25" (6.35mm)	25.38gr (1.645g)	Up to 55ft/lbs (47J)	Hunting and general purpose
EMPEROR	.177" (4.5mm)	15.89gr (1.03g)	Up to 30ft/lbs (40J)	High Power Field Target, Extreme Benchrest and hunting
EMPEROR	.20" (5.0mm)	15.89gr (1.03g)	Up to 30ft/lbs (40J)	High Power Field Target, Extreme Benchrest and hunting
EMPEROR	.22" (5.5mm)	33.95gr (2.2g)	Up to 75ft/lbs (101J)	High Power Field Target, Extreme Benchrest and hunting
EMPEROR	.25" (6.35mm)	33.95gr (2.2g)	Up to 75ft/lbs (101J)	High Power Field Target, Extreme Benchrest and hunting
EMPEROR LITE	.30" (7.62mm)	44.75gr (2.9g)	Up to 90ft/lbs (120J)	Extreme Benchrest and hunting
EMPEROR	.30" (7.62mm)	50.15gr (3.25g)	Up to 110ft/lbs (150J)	Hunting

RANGEMASTER

JUGGERNAUT SLUGS

BUILT FOR DISTANCE

Manufactured for Daystate by JSB, Rangemaster Juggernaut hollow-point slugs are designed specifically for high-power PCP air rifles and long-range shooting.

Their bullet-shaped profile is optimized for high-power, minimally choked or unchoked barrels, including the 600mm polygon ART Barrel System fitted to selected Daystate and BRK rifles.

Developed and tested with Daystate's Accuracy Research Team (ART), Juggernaut slugs have been selected to provide consistent performance across a wide range of suitable rifles. They are ideal for long-range target shooting, benchrest and hunting applications.

Designed for high power. Developed for long range.



CALIBER	WEIGHT	MAX ENERGY	USE
.22" (5.5mm)	25.39gr (1.645g)	Up to 75ft/lbs (122J)	High Power Field Target, Extreme Benchrest and hunting
.25" (6.35mm)	33.95gr (2.2g)	Up to 95ft/lbs (128J)	High Power Field Target, Extreme Benchrest and hunting

0dB SILENCER

THE SCIENCE OF SILENCE

Designed specifically for air rifles, 0dB silencers combine lightweight CNC-machined aluminum construction with an advanced internal baffle and mesh system to reduce muzzle report and air turbulence.

The standard ½" UNF fitting provides compatibility with a wide range of air rifles, while caliber-specific internal dimensions optimize performance for .177, .22, .25 and .30 calibers.

Lightweight, effective and engineered to complement Daystate and BRK rifles, 0dB provides high-performance sound suppression without unnecessary bulk.

MAGNUM 0dB HIGH-POWER SOUND SUPPRESSION

Developed for higher-powered PCP air rifles, the Magnum 0dB provides increased sound suppression for rifles producing greater muzzle energy. Its larger capacity makes it particularly suited to Daystate and BRK High Power models while retaining the universal ½" UNF airgun fitting.



0dB Short & Long Colour Options



Magnum 0dB

0dB MODEL	LENGTH / DIAMETER	WEIGHT	COLOUR
SHORT	4.5" (115mm) / 1.25" (32mm)	3.7oz (106g)	BLACK, SAND, BLUE, RED, ORANGE
LONG	6.5" (163mm) / 1.25" (32mm)	5.2oz (147g)	BLACK, SAND, BLUE, RED, ORANGE, SILVER
MAGNUM	7.5" (190mm) / 1.57" (40mm)	6.8oz (193g)	BLACK

NEW 0dB ATP & SSP SYSTEMS

KIT	TUNER UNIT	SILENCER UNIT	CALIBER INSERTS	KEY	CASE
0dB Advantage Target Pro Kit	•		•	•	•
0dB Stealth Silencer Pro Kit		•	•	•	•
0dB Ultimate Pro (ATP & SSP) Kit	•	•	•	•	•
0dB Advantage Target Pro	•				
Additional Silencer Baffle			•		

0dB ATP TUNE FOR ACCURACY

The Advantage Target Pro (ATP) combines an adjustable barrel harmonic tuner with an integrated sound moderator.

Developed using experience gained through Extreme Benchrest competition, the ATP allows shooters to tune barrel harmonics to suit their chosen ammunition.

Adjustment is made by rotating the internal weight within the tuner housing, allowing settings to be changed quickly without tools.

Additional moderator baffles can be fitted where required, combining precision tuning and sound suppression in a single ½" UNF system.

0dB SSP MODULAR SOUND SUPPRESSION

The Stealth Silencer Pro (SSP) is a compact, modular ½" UNF airgun silencer designed around interchangeable caliber-specific inserts. Additional baffles can be added to increase sound suppression, allowing the SSP to be configured to suit the rifle and shooting application. Choose the correct caliber insert for optimum performance.



*Included is a set of composite baffles for different calibers - .177 / 4.5mm, .22 / 5.5mm, .25 / 6.35mm and .30 / 7.62mm - enabling you to optimise the noise suppressing efficiency according to the caliber of the rifle to which it is fitted, as well as tightening up downrange groups.



DESIGNED BY SHOOTERS FOR SHOOTERS

MTC Optics was born because shooters wanted a product that satisfied their specific needs. Its founding philosophy was unreservedly based on the company's connection with grass roots shooters and a drive to provide the most exciting and well-made scopes at a cost shooters could afford.

That philosophy still holds true today, some 20 years since MTC's inception.

RETICLE FOCAL PLANES

In rifle scope design, the crosshairs can be placed in either the first or second focal plane. Most MTC Optics models have second focal plane reticles, but there are exceptions. Our King Cobra flagship range offers models with either first or second focal plane reticles, designated F1 and F2 respectively. While neither type is necessarily 'better', they each have characteristics that may better suit a shooter's personal requirements.

MTC Optics offers two, exclusively designed reticles in its range - SCB2 and AMD2.



SCB2 Reticle




AMD2 Reticle

F1 MODELS (FIRST FOCAL PLANE)

As you zoom the magnification in and out, both the reticle and the target will remain in constant proportion. This means the reference points of the reticle always stay the same in relation to the target, regardless of the magnification setting.


FIRST FOCAL PLANE



F2 MODELS (SECOND FOCAL PLANE)

As you zoom the magnification in and out, the reticle will stay a constant size, but the target will appear larger or smaller. This means the reference points of the reticle can be used to 'bracket' the target at different magnifications – a system that can assist range-finding. *Note: Any MIL-based spacings on the crosshair will only be 'true' at 10x magnification on F2 models.*

SECOND FOCAL PLANE





KING COBRA BRIGHTER. FINER. MORE PRECISE

The King Cobra sits at the top of the MTC range, combining high-quality multi-coated optics with precision controls and fine reticles designed for shooters who demand an exceptionally clear and detailed sight picture.

Available in 4-16x50, 6-24x50 and 8-32x50 configurations, the King Cobra range provides the magnification and precision required for target shooting and longer-range applications.

The 4-16x50 and 6-24x50 models are available with First or Second Focal Plane reticles, allowing shooters to choose the system that best suits their shooting style. Lockable, finger-adjustable elevation and windage turrets provide precise MIL-based adjustment, while side parallax adjustment allows the image to be finely focused and parallax error minimized at different ranges. An illuminated central reticle with six brightness settings maintains visibility across changing light conditions. High-quality lens coatings, a 30mm tube and 50mm objective combine to provide the bright, crisp image that has become a defining characteristic of the King Cobra range.



King Cobra 4-16x50 F1/F2
Versatile precision



King Cobra 6-24x50 F1/F2
Greater reach and detail



KING COBRA 8-32x50 F1 PRECISION WITHOUT LOSING YOUR PLACE

Designed specifically for precision and target shooting, the 8-32x50 F1 combines higher magnification with MTC's fine AMD2 First Focal Plane reticle and a unique SMART turret system.

The SMART turret allows extended adjustment while providing a clear indication of turret position, helping prevent the shooter becoming a full revolution out when making substantial elevation corrections. The result is fast, repeatable adjustment with less chance of losing your reference point during competition or long-range shooting.



King Cobra 8-32x50 F1
Dedicated precision/target model with SMART turret




KING COBRA 4-16x50 F1/F2


Magnification	4-16x
Objective lens	50mm
Field of view @100m	8.22m / 2.05m
Dioptr adjustment	+2/-2
Eye relief	105mm
Parallax range	10m - infinity
Adj per click	1 click = 1cm @100m
Max turret adj	140cm @100m
Clicks per turret revolution	60
MILs per turret revolution	6
POI correction per click @100m	1cm
Tube diameter	30mm
Reticle position	FFP/SFP
Reticle type	SCB2
Length	360mm
Weight	746g/750g

KING COBRA 6-24x50 F1/F2

Magnification	6-24x
Objective lens	50mm
Field of view @100m	5.7m / 1.42m
Dioptr adjustment	+2/-2
Eye relief	95mm
Parallax range	15m - infinity
Adj per click	1 click = 1cm @100m
Max turret adj	116cm @100m
Clicks per turret revolution	50
MILs per turret revolution	6
POI correction per click @100m	1cm
Tube diameter	30mm
Reticle position	FFP/SFP
Reticle type	SCB2
Length	366mm
Weight	750g/754g



SCB2 Reticle



AMD2 Reticle



KING COBRA 8-32x50 F1

Magnification	8-32x
Objective lens	50mm
Field of view @100m	4m / 1m
Dioptr adjustment	+2/-2
Eye relief	100mm
Parallax range	10m - infinity
Adj per click	1/20mil
Max turret adj	12MIL
Clicks per turret revolution	60
MILs per turret revolution	3
POI correction per click @100m	0.5cm
Tube diameter	30mm
Reticle position	FFP
Reticle type	AMD2
Length	415mm
Weight	820g

COPPERHEAD COMPACT OPTICS FOR COMPACT RIFLES

Designed for modern compact air rifles, the MTC Copperhead combines a short, lightweight format with the optical performance and features required for hunting and general-purpose shooting.

Considerably shorter than a conventional riflescope, the Copperhead is particularly well suited to compact and bullpup rifles where mounting space is limited. Its shorter overall length allows the scope to sit naturally further back on the rifle while maintaining comfortable eye relief- making it an ideal partner for rifles such as the BRK Ghost, Pathfinder and Ranger XR2, as well as Daystate's Alpha Wolf and Delta Wolf.

Fully multi-coated lenses provide a bright, clear sight picture, while the AMD2 reticle uses clearly defined aim points designed for fast target acquisition and practical holdover and windage correction in the field. The central crosshair can also be illuminated with six brightness settings for changing light conditions.

Pull-up, lock-down elevation and windage turrets, side parallax adjustment, a fast-focus eyepiece and flip-up lens covers complete a compact scope designed to deliver serious performance without unnecessary size or weight.

Available in 3-12×44 and 4-16×44 configurations.

Key Features

Super-compact design ideal for compact and bullpup rifles

44mm objective lens

AMD2 multi-aimpoint reticle

Second Focal Plane

Six-level illuminated central crosshair

Side parallax adjustment

Pull-up, lock-down turrets

Fast-focus eyepiece

Fully multi-coated optics

Flip-up lens covers

3-12×44 and 4-16×44 models



Copperhead 3-12x44 F2



Copperhead 4-16x44 F2

Ideal For BRK & Daystate
Bullpup/Compact Platforms



AMD2 Reticle

COPPERHEAD 3-12x44 F2		COPPERHEAD AND SAFARI 4-16x44 F1/F2	
Magnification	3-12x	Magnification	4-16x
Objective lens	44mm	Objective lens	44mm
Field of view @100m	10.7m / 2.6m	Field of view @100m	7.9m / 1.9m
Dioptr adjustment	+2/-2	Dioptr adjustment	+2/-2
Eye relief	90mm	Eye relief	90mm
Parallax range	10m - infinity	Parallax range	10m - infinity
Adj per click	1 click = 1cm @100m	Adj per click	1 click = 1cm @100m
Max turret adj	116cm @100m	Max turret adj	116cm @100m
Clicks per turret revolution	60	Clicks per turret revolution	60
MILs per turret revolution	6	MILs per turret revolution	6
POI correction per click @100m	1cm	POI correction per click @100m	1cm
Tube diameter	30mm	Tube diameter	30mm
Reticle position	Second Focal Plane	Reticle position	Second Focal Plane
Reticle type	AMD2	Reticle type	AMD2
Length	248mm	Length	274mm
Weight	568g	Weight	690g



The Copperhead 4-16x44 F2 Safari version





VIPER CONNECT 3-12x32 & 4-16x32

SEE MORE. REACT FASTER

The MTC Viper Connect takes a different approach to conventional riflescope design. Developed specifically for PCP air rifles, low-recoil .22 rimfire and .17 HMR rifles, its ultra-short 17mm eye relief creates an exceptionally wide, immersive sight picture.

At 10x magnification, the Connect provides almost twice the field of view of a conventional riflescope, making it easier to acquire the target quickly while retaining greater awareness of the surrounding area. Its rearward mounting position also makes it particularly well suited to compact and bullpup air rifles, including the BRK range and Daystate Alpha Wolf and Delta Wolf.

Available in 3-12x32 and 4-16x32 configurations, both models combine compact 32mm optics with an illuminated reticle, side parallax adjustment down to 10 meters and finger-adjustable, resettable turrets protected by screw-on caps.

Designed around low-recoil rifles rather than adapted from conventional firearm optics, the Viper Connect offers a uniquely wide and engaging view of the target.


Viper Connect 4-16x32
Higher-magnification Connect with angle indication




Viper Connect 3-12x32
Wider-use Connect



For PCP air rifles and suitable low-recoil rimfire rifles only.
Not suitable for heavy-recoiling firearms.



SCB2 Reticle



AMD2 Reticle

VIPER CONNECT 3-12x32		VIPER CONNECT 4-16x32	
Magnification	3-12x	Magnification	4-16x
Objective lens	32mm	Objective lens	32mm
Field of view @ 100m	20.3m/60.9ft ~ .2m/1.56ft	Field of view @ 100m	15.2 m/49.8ft 1.5m/5ft
Dioptr adjustment	+2/-2	Dioptr adjustment	+2.5 / -2.5
Eye relief	17mm	Eye relief	17mm
Parallax range	10m – infinity	Parallax range	10m – infinity
Adj per click	1 click = 1/4" at 100 yards	Adj per click	1 click = 1cm @100m
Max turret adj	120 MOA	Max turret adj	34.9 MIL
Clicks per turret revolution	60	Clicks per turret revolution	45
MOA per turret revolution	41.25	MILs per turret revolution	12
POI correction per click @ 100yards	.25"	POI correction per click @100m	1 cm
Tube diameter	30mm	Tube diameter	30mm
Reticle position	Second Focal Plane	Reticle position	Second Focal Plane
Reticle type	SCB2	Reticle type	AMD2
Length	290mm	Length	350mm
Weight	590g	Weight	616g





SCB2 Reticle



MAMBA ULTRALITE & MAMBA LITE LESS WEIGHT. ALL THE FEATURES

The Mamba family is designed for shooters who want a fully featured riflescope without the size and weight of today's larger optics. Built around a slim 25mm tube, each model combines lightweight handling with the optical performance and practical features expected from MTC.

Available in compact 3-10x40 Ultralite, 3-12x42 Lite and 4-16x42 Lite configurations, the range provides a choice of magnification while keeping weight and bulk to a minimum- ideal for sporting rifles where balance and handling matter.

The Mamba Lite combines MTC's proven SCB2 reticle with seven-level central illumination, side parallax adjustment from 10 meters to infinity, fast-focus eyepiece and semi-target turrets.

Magnetic flip-up lens covers provide additional protection, with an integrated magnifier in the rear cover to make fine turret markings easier to read.

Bright, clear optics complete a scope designed around a simple principle: everything you need, without everything you don't.

Key Features

- Lightweight 25mm tube construction
- 3-10x40 Ultralite
- 3-12x42 Lite
- 4-16x42 Lite
- SCB2 reticle
- Seven-level illuminated center
- Side parallax adjustment
- Fast-focus eyepiece
- Semi-target turrets
- Magnetic flip-up lens covers
- Integrated 2x magnifier in rear cover
- Designed to maintain rifle balance and handling

MAMBA LITE 3-10x40	
Magnification	3-10x
Objective lens	40mm
Field of view @100m	11.4m / 3.7m
Dioptr adjustment	+2/-2
Eye relief	115mm - 105mm
Parallax range	10m - infinity
Adj per click	1/4" click @100 yards
Max turret adj	60 MOA
Clicks per turret revolution	48
MILs per turret revolution	6
POI correction per click @100m	1cm
Tube diameter	25mm
Reticle position	Second Focal Plane
Reticle type	SCB2
Length	344mm
Weight	546g

MAMBA LITE 3-12x42	
Magnification	3-12x
Objective lens	42mm
Field of view @100m	11.4m / 2.8m
Dioptr adjustment	+2/-2
Eye relief	100mm
Parallax range	10m - infinity
Adj per click	1/4" click @100 yards
Max turret adj	60 MOA
Clicks per turret revolution	48
MILs per turret revolution	12
POI correction per click @100m	1cm
Tube diameter	25mm
Reticle position	Second Focal Plane
Reticle type	SCB2
Length	310mm
Weight	571g

MAMBA LITE 4-16x42	
Magnification	4-16x
Objective lens	42mm
Field of view @100m	8.2m / 2.3m
Dioptr adjustment	+2/-2
Eye relief	100mm
Parallax range	10m - infinity
Adj per click	1/4" click @100 yards
Max turret adj	42 MOA
Clicks per turret revolution	48
MILs per turret revolution	12
POI correction per click @100m	1cm
Tube diameter	25mm
Reticle position	Second Focal Plane
Reticle type	SCB2
Length	334mm
Weight	580g



BLUEPRINT MOUNTS

THE RIGHT MOUNT. THE RIGHT FIT



A quality riflescope deserves a mounting system engineered to match. The MTC Blueprint range provides a comprehensive choice of precision scope mounts for air rifles and rimfires, covering the most commonly used tube sizes, rail systems and mounting heights.

Available for both 11/12mm (3/8") dovetail and 21mm Picatinny rails, the Blueprint range includes 25mm and 30mm rings in Low, Medium and High configurations. Fixed and adjustable options provide solutions for a wide variety of rifle and scope combinations, with dedicated mounts also available for the MTC Viper Connect.

Built for secure, dependable mounting, Blueprint mounts provide the solid connection between rifle and optic that consistent accuracy demands.

BLUEPRINT ADJUSTABLE AND REACH FORWARD MOUNTS

Designed for installations requiring additional adjustment, Blueprint Adjustable Mounts are available with 30mm rings for both 11mm (3/8") dovetail and 21mm Picatinny rails.

The Reach-Forward version provides additional positioning flexibility where rifle geometry or eye-relief requirements make conventional mounting more difficult - particularly useful with compact and specialist scope configurations.

BLUEPRINT 25MM & 30MM MOUNTS

Strong, straightforward and dependable, Blueprint two-piece mounts provide secure scope installation for air rifles and rimfires.

Double-screw ring fixings help maintain a secure hold, while 25mm and 30mm ring options accommodate a wide range of riflescopes. Available for both 11/12mm (3/8") dovetail and 21mm Picatinny rails, with a choice of Low, Medium and High configurations.

Adjustable 21mm Picatinny mount

21mm Picatinny mount

11mm (3/8") Dovetail mount

Reach Forward 11mm adjustable mount

Adjustable 11mm (3/8") Dovetail mount

11mm (3/8") or 21mm Picatinny Viper Connect mount



PERFORMANCE CENTER

The Daystate Performance Center brings together a comprehensive range of genuine parts, accessories and upgrades for Daystate and BRK rifles.

Developed and selected to meet the same standards of quality and performance as our rifles, the range allows you to personalize your setup, enhance its performance or simply find the genuine replacement parts you need.

From practical accessories and maintenance components to upgrades that let you tailor your rifle to the way you shoot, you'll find everything together in the dedicated Performance Center catalogue.

Scan the QR code to explore the complete range and order online.

<https://daystate.com/performance-center>



Unit 3, Raleigh Hall Industrial Estate, Eccleshall, Staffordshire ST21 6JL, United Kingdom

office@brocock.co.uk
brocock.co.uk

office@daystate.com
daystate.com

office@mtcoptics.com
mtcoptics.com

© Daystate Limited, MTC Optics Limited, Brocock Limited 2025. E&OE. 2026.v2
All parts supplied from our UK warehouse.